



**Petroleum and Natural Gas Regulatory Board**  
**Tariff Order**

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Subject</b>                       | : Revision of Unified Tariff (UFT), its Zonal Apportionment, Unified Tariff Paths, ratios and entity wise tariff for invoicing to the shippers w.e.f. 01.01.2026 onwards, under the provisions of the Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Regulations, 2008, of National Gas Grid System consisting of pipelines mentioned under Schedule C of Tariff Regulations. |
| <b>Name of the Pipeline</b>          | : National Gas Grid System ("NGGS")                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Name of the Pipeline Entities</b> | : GAIL (India) Limited, Indian Oil Corporation Limited, Pipeline Infrastructure Limited, Gujarat State Petronet Limited, Reliance Gas Pipelines Limited, GSPL India Gasnet Limited, GSPL India Transco Limited, Oil and Natural Gas Corporation Limited, Gujarat Gas Limited, Indradhanush Gas Grid Limited.                                                                                                             |
| <b>File No</b>                       | : PNGRB/Com/10-NGPL(3)/2024 (E-5577)                                                                                                                                                                                                                                                                                                                                                                                     |

**Ref: TO/NGPL/25-26/14**

**Date: 16<sup>th</sup> December, 2025**

**1. Regulatory Provisions:**

- 1.1.** In terms of Section 22 of the Petroleum and Natural Gas Regulatory Board Act, 2006 ("PNGRB Act"), the Board is entrusted with the responsibility of determining the natural gas pipeline tariff to be charged by the entities laying, building, operating or expanding a natural gas pipeline ("NGPL"). For the purpose of determining tariff by way of regulations, Board shall be guided by various factors including safeguard the consumer interest and at the same time recovery of cost of transportation in a reasonable manner.
- 1.2.** The methodology for determination of NGPL tariff has been specified in the relevant provisions of the Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Regulations, 2008 ("Tariff Regulations") notified on 20.11.2008. Further, the methodology for determination of Unified Tariff ("UFT") and its applicability has been inserted in the Tariff Regulations by way of amendment, i.e., PNGRB (Determination of Natural Gas Pipeline Tariff) Second Amendment

Regulations, 2020, PNGRB (Determination of Natural Gas Pipeline Tariff) Second Amendment Regulations, 2022, PNGRB (Determination of Natural Gas Pipeline Tariff) Amendment Regulations, 2023 (“Amendment 2023”), PNGRB (Determination of Natural Gas Pipeline Tariff) Amendment Regulations, 2024 (“Amendment 2024”), Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Amendment Regulations, 2025 (“Amendment 2025”), Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Second Amendment Regulations, 2025 (“Second Amendment 2025”) and Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Third Amendment Regulations, 2025 (“Third Amendment 2025”).

**1.3. Applicability of NGPL Tariff Regulations: In terms of regulation 3 “Application” of NGPL Tariff Regulations,** these regulations shall apply to an entity-

- 1.3.1.** authorized by the Central Government before the appointed day under regulation 17 of the Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build Operate or Expand Natural Gas Pipelines) Regulations, 2008 for laying, building, operating or expanding a natural gas pipeline.
- 1.3.2.** laying, building, operating or expanding a natural gas pipeline before the appointed day and authorized by the Board for such activities under regulation 18 of the Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build, Operate or Expand Natural Gas Pipelines) Regulations, 2008;
- 1.3.3.** laying, building, operating or expanding a dedicated pipeline which is converted into a natural gas pipeline under the provisions of sub-regulation (1) or (2) of regulation 19 of Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build, Operate or Expand Natural Gas Pipelines) Regulations, 2008;
- 1.3.4.** authorized by the Board pursuant to a policy directive issued by the Central Government under sub-section (2) of section 42 of the Act;
- 1.3.5.** authorised by the Board under regulation 9 of the Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build, Operate or Expand Natural Gas Pipelines) Regulations, 2008 and whose tariff is fixed under regulation 11 of the Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build, Operate or Expand Natural Gas Pipelines) Regulations, 2008, for the limited applicability of unified tariff in accordance with regulation 5A; and
- 1.3.6.** laying, building, operating or expanding an integrated natural gas pipeline;

**1.4. Procedure for determination of Unified Tariff:**

- 1.4.1.** Unified tariff shall be determined by the Board in respect of the national gas grid system for each financial year before start of such financial year. Financial year for this purpose shall mean a period commencing on the first day of April and ending on thirty first day of March immediately following it:

Provided that in the event the date on which the Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Second Amendment, Regulation, 2020 comes into force is between first April and thirtieth September, the first unified tariff shall be determined for the period commencing

from the date on which the said regulations of 2020 comes into force and ending on the immediately following thirty first March.

Provided further that in the event, the date on which the Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Second Amendment, Regulation, 2020 comes into force is between first October and thirty-first March, the first unified tariff shall be determined for the period commencing from the date on which the said regulations of 2020 comes into force and ending on the thirty-first March next from the one immediately following. That is to say that the first unified tariff could be determined for a period ranging between six months to eighteen months.

**1.4.2.** The Board may determine revised unified tariff during the financial year in case it deems it necessary to do so. Without prejudice to the generality of the foregoing provision, the Board may do so in case any new interconnected pipeline is added or an existing interconnected pipeline is removed, or approved tariff in respect of any interconnected pipeline is revised, or the quantity of gas estimated to be transported including ship or pay quantity considered by the Board for determining the unified tariff undergoes a significant change.

**1.5.** Following are inter-alia relevant regulations pertaining to determination of UFT:

**1.5.1.** “applicable unified zonal tariff” means the tariff applicable to respective tariff zones for unified tariff. Provided that for the “CNG and PNG-Domestic” applicable unified zonal tariff shall be the tariff for first tariff zone of unified tariff, applicable from the revised tariff order issued after notification of this provision.

**1.5.2.** “National Gas Grid System” means network of all such natural gas pipelines within India which are fully interconnected with each other (including those which are partly commissioned and so interconnected) and as enlisted in Schedule C to these regulations and the Board may, by order, amend the said Schedule C from time to time.

List of natural gas pipelines which are part of national gas grid system for calculation of Unified Tariff are:

| S.No. | Entity Authorized    | Pipeline Name                                                                                                                                                                                                                                                                                                                             |
|-------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | GAIL (India) Limited | A. Integrated Pipeline Network of GAIL<br>- Hazira-Vijaipur-Jagdishpur-GREP-Dahej-Vijaipur,<br>- Dahej-Uran-Dabhol-Panvel Natural Gas Pipeline,<br>- Dahej-Vijaipur (DVPL)-Vijaipur-Dadri (GREP) capacity augmentation,<br>- Jagdishpur-Haldia-Bokaro-Dhamra Natural Gas Pipeline network,<br>- Dadri-Bawana-Nangal Natural Gas Pipeline, |

| S.No. | Entity Authorized                       | Pipeline Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |                                         | <ul style="list-style-type: none"> <li>- Chainsa-Jhajjar-Hissar Natural Gas Pipeline,</li> <li>- Dabhol-Bangalore Natural Gas Pipeline,</li> <li>- Baroda Sub Network of Gujarat Regional,</li> <li>- Mumbai Regional, <ul style="list-style-type: none"> <li>a) Uran Thal Usar Sub Network,</li> <li>b) Trombay Sub Network</li> </ul> </li> </ul> <p>B. KG Basin Natural Gas Pipeline,<br/> C. Mumbai - Nagpur - Jharsuguda Natural Gas Pipeline<br/> D. Srikakulam Angul Natural Gas pipeline*</p> |
| 2     | Indian Oil Corporation Limited          | Dadri-Panipat Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 3     | Pipeline Infrastructure Limited         | East West Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 4     | Gujarat State Petronet Limited          | A. High Pressure Gujarat Gas Grid<br>B. Low Pressure Gujarat Gas Grid                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 5     | Reliance Gas Pipelines Limited          | Shahdol-Phulpur Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 6     | GSPL India Gasnet Limited               | A. Mehsana – Bhatinda Natural Gas Pipeline<br>B. Bhatinda - Jammu – Srinagar Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                     |
| 7     | GSPL India Transco Limited              | Mallavaram-Bhopal-Bhilwara-Vijaipur Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 8     | Oil and Natural Gas Corporation Limited | Uran Trombay Natural Gas Pipeline<br>System Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 9     | Gujarat Gas Limited                     | Hazira Ankleshwar Natural Gas Pipeline<br>System Natural Gas Pipeline                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 10    | Indradhanush Gas Grid Limited           | North-East Natural gas Pipeline Grid*                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

\* shall be part of NGGS from date of its commissioning

**1.5.3.** “Industry Committee” shall mean the committee as constituted by Board comprising of duly authorized representatives as nominated by the pipeline entities forming the part of NGGS at Schedule C, for the purpose of development and operationalisation of settlement mechanism and to act and decide on behalf of respective pipeline entity, on matters related to Unified Tariff.

**1.5.4.** “Settlement Committee” shall mean the committee constituted in accordance with paragraph 3.1(a) of Schedule D of Tariff Regulations, i.e. 3 permanent and 2 non-permanent members from the industry committee, to facilitate the operationalization of the settlement mechanism including the validation of data pertaining to invoicing, collection, settlement of surplus/deficit amount, etc.

As per regulatory provisions, the Settlement Committee shall facilitate the Board in providing all the required support documentation/information including, *inter alia*, anticipated zonal volumes for pipeline entities after due reconciliation with each pipeline entity for the common volumes for the UFT determination by the Board.

**1.5.5.** “Unified tariff” means unit natural gas pipeline tariff, in respect of the national gas grid system determined in accordance with regulation 5A of Tariff regulations, for transportation of natural gas (excluding statutory taxes and levies) denominated in rupees per MMBTU.

**1.5.6.** “Approved tariff” means zone-wise natural gas pipeline tariff determined under regulation 4 of tariff regulations for pipelines authorised under regulation 17, 18, 19 of Authorization Regulations and section 42 of PNGRB Act or zone-wise tariff as per regulation 11 of the Authorization Regulations for bid out pipelines.

**1.5.7.** The invoice will be raised by each transporting entity involved in contractual path at a predefined ratio of applicable unified tariff. The ratio shall be derived in accordance with the Settlement Mechanism. Further, Schedule D i.e. “Settlement Mechanism” *inter alia* provides that, the UFT and UFT ratios applicable for the subsequent financial year so determined shall be submitted to the Board for its approval and hosted on its website by the first week of March of every year.

## **2. Background:**

**2.1. Unified Tariff order(s):** Following tariff order(s) were passed by PNGRB for Unified Tariff applicable during FY 2023-24:

| S. No. | Order No.        | Order Date | Unified Tariff Paths | Zonal UFT Rs. /MMBTU                |
|--------|------------------|------------|----------------------|-------------------------------------|
| 1      | TO/2022-23/09    | 29.03.2023 | 32                   | Z1-39.45;<br>Z2-74.97;<br>Z3-99.90  |
| 2      | TO/2023-24/01    | 11.04.2023 | 98                   |                                     |
| 3      | TO/2023-24/04    | 27.06.2023 | 116                  |                                     |
| 4      | TO/2023-24/12    | 28.03.2024 | 88                   | Z1-40.00;<br>Z2-79.00;<br>Z3-114.52 |
| 5      | TO/NGPL/24-25/03 | 29.05.2024 | 88                   |                                     |
| 6      | TO/NGPL/24-25/04 | 28.06.2024 | 88                   |                                     |
| 7      | TO/NGPL/24-25/05 | 17.12.2024 | 98                   | Z1-42.04;<br>Z2-80.08;<br>Z3-106.77 |
| 8      | TO/NGPL/25-26/01 | 15.04.2025 | 101                  |                                     |
| 9      | TO/NGPL/25-26/04 | 05.06.2025 |                      |                                     |
| 10     | TO/NGPL/25-26/06 | 10.07.2025 |                      |                                     |
| 11     | TO/NGPL/25-26/07 | 08.09.2025 | 148                  |                                     |
| 12     | TO/NGPL/25-26/08 | 04.11.2025 |                      |                                     |
| 13     | TO/NGPL/25-26/13 | 16.12.2025 | 219                  |                                     |

**2.2.** PNGRB vide Petroleum and Natural Gas Regulatory Board (Determination of Natural Gas Pipeline Tariff) Second Amendment Regulations, 2025 (“Second Amendment 2025”) notification dated 07.07.2025 has brought following major changes in the Unified Tariff regime:

- 2.2.1.** The number of Unified Tariff Zones was officially reduced from three to two. This change simplifies the zonal tariff structure, making gas transportation costs easier to manage and understand for operators and consumers.
- 2.2.2.** The benefit of the lower Zone 1 unified tariff was extended nationwide for the Compressed Natural Gas (CNG) and Piped Natural Gas (PNG) Domestic segments. This critical reform ensures that millions of households and public transport users across the country benefit from a more affordable tariff, regardless of their distance from the source of gas, thereby boosting the adoption of cleaner fuels.

### **3. Unified Tariff submission by Settlement Committee (“SC”) w.e.f. 01.01.2026.**

**3.1.** Settlement Committee (SC), vide email dated 12.12.2025 (**Annexure-1**), submitted the Unified Tariff working w.e.f. 01.01.2026. The zonal tariff and estimated volumes considered by the Settlement Committee are as under:

|                  | <b>Unified Tariff<br/>(Rs./MMBTU)</b> | <b>Remarks</b>            | <b>Volume<br/>(MMSCMD)</b> | <b>Percentage</b> |
|------------------|---------------------------------------|---------------------------|----------------------------|-------------------|
| <b>Levelized</b> | <b>87.19</b>                          |                           |                            |                   |
| <b>Zone 1</b>    | 56.17                                 | 52.5% of Zone 2<br>Tariff | 54.70                      | 38.98%            |
| <b>Zone 2</b>    | 107.00                                |                           | 85.63                      | 61.02%            |
| <b>Total</b>     |                                       |                           | <b>140.33</b>              |                   |

**Notes:**

- 1- The tariff above is inclusive GST impact and adjustment of Rs.200 Crores Surplus.
- 2- Volume in MMSCMD is calculated by considering a GCV of 9500 kcal/SCM.
- 3- 23.36 MMSCMD CGD volume of Zone 2 has been considered as CNG and PNG(D) for benefit of Zone 1 Unified Tariff.

**3.2.** Further, the Settlement Committee in its email date 12.12.2025 has made following submissions:

- 3.2.1.** This is in reference to the trailing email, as advised, UFT working has been done in line with the recent amendment in the unified zonal structure, applicable Unified Zone 1 tariff for CNG and PNG-Domestic, adding MNJPL and SAPL to the National Gas Grid System and considering revised approved zonal tariff for GAIL's INGPL and PIL's EWNGPL network.
- 3.2.2.** Further, for better monitoring and control, separate tariff paths have been suggested with suffix “CGD-SPL-UFTZ1” for CNG-PNG-Domestic consumption, and path code with a series from 500 onwards have been assigned to such paths.

**PNGRB Comments:** The methodology suggested by the Settlement Committee has been accepted as this would allow better monitoring of the total volumes to CGD Sector which receive the benefit of Zone 1 tariff.

**3.2.3.** As of the fortnight ending 15th November 2025, the system's total surplus stands at approximately Rs.380 Crore, including interest earned from fixed deposits.

**3.2.4.** Calculation of the unified tariff has been done after adjusting surplus amount of Rs.200 Crore.

**3.2.5.** It is hereby requested to kindly approve Unified Tariff including the additional Unified Tariff paths also. Further, it is also requested to kindly maintain the path code listing along with the unified tariff paths while approving the Unified tariffs to be effective from 01.01.2026. This will facilitate ease of operation for the stakeholders while capacity booking, daily transactions, and reconciliations.

**PNGRB Comments:** The path codes assigned to various tariff paths has been incorporated in the tariff order as per requested of SC.

**3.2.6.** Additionally, as the pipeline networks have expanded, the number of possible routes has also increased. While most likely routes have been included in this working, it is requested that if shippers ask to use routes not currently anticipated, transportation entities may be permitted to utilize these paths with the information to PNGRB, with formal approval to be ratified later. The tariff ratios for such routes shall be based on the levelized approved tariff until PNGRB reviews and updates the ratios. This approach will help speed up the onboarding process for shippers on such tariff paths.

**3.3.** The pipeline wise actual volume flow for FY 25-26 (till 1<sup>st</sup> F/N Nov) and the volume submitted by the Settlement Committee is as follows:

(In MMSCMD @ 9500 GCV)

| Particulars            | FY 23-24 | FY 24-25 | SC Proposal w.e.f. 1.1.26 | FY 25-26 till FFN Nov'25 | Difference | Volumes 01.10.25 to 15.11.25 |
|------------------------|----------|----------|---------------------------|--------------------------|------------|------------------------------|
| <b>GAIL Integrated</b> | 109.76   | 117.57   | 112.82                    | 112.46                   | 0.35       | 109.80                       |
| <b>GAIL KG Basin</b>   | 4.73     | 3.97     | 3.75                      | 3.47                     | 0.28       | 3.29                         |
| <b>GSPL HP</b>         | 32.61    | 34.68    | 31.74                     | 34.00                    | -2.25      | 32.08                        |
| <b>GSPL LP</b>         | 6.63     | 5.81     | 5.18                      | 5.85                     | -0.68      | 5.69                         |
| <b>PIL</b>             | 30.79    | 34.8     | 35.89                     | 33.79                    | 2.11       | 33.46                        |
| <b>RGPL</b>            | 0.53     | 0.68     | 0.78                      | 0.74                     | 0.05       | 0.73                         |
| <b>GITL</b>            | 1.85     | 2.15     | 1.98                      | 2.00                     | -0.02      | 2.15                         |
| <b>GIGL-BGPL</b>       | 0.05     | 0.08     | 0.09                      | 0.09                     | -0.01      | 0.10                         |
| <b>GIGL</b>            | 3.94     | 4.22     | 4.91                      | 5.36                     | -0.45      | 5.72                         |
| <b>ONGC</b>            | 3.14     | 3.45     | 3.4                       | 3.33                     | 0.07       | 3.38                         |
| <b>IOCL</b>            | 2.59     | 5.42     | 5.34                      | 4.54                     | 0.80       | 4.73                         |

| Particulars  | FY 23-24      | FY 24-25      | SC Proposal w.e.f. 1.1.26 | FY 25-26 till FFN Nov'25 | Difference  | Volumes 01.10.25 to 15.11.25 |
|--------------|---------------|---------------|---------------------------|--------------------------|-------------|------------------------------|
| <b>GGL</b>   | 0.53          | 0.61          | 0.61                      | 0.73                     | -0.13       | 0.77                         |
| <b>NEGG*</b> | -             | -             | 0.20                      | 0.06*                    | 0.14        | 0.01                         |
| <b>MNJPL</b> | -             | -             | 0.44                      | -                        | 0.44        | 0.00                         |
| <b>SAPL</b>  | -             | -             | 0.04                      | -                        | 0.04        | 0.00                         |
| <b>Total</b> | <b>197.15</b> | <b>213.44</b> | <b>207.16</b>             | <b>206.43</b>            | <b>0.74</b> | <b>201.91</b>                |

\*Commissioning dated 11.11.2025.

#### 4. PNGRB Modifications to SC Submission

##### 4.1. Regulatory Provision:

As per the formula given in clause 6 of Schedule B in the NGPL Tariff Regulations, for calculation of Unified Tariff adjustment of, impact of the difference, if any, between the estimated quantities considered by the Board and the actual quantities during the previous determination of the unified tariff, shall be carried out in the estimated revenue entitlement of the Unified Tariff calculation.

Further in terms of sub clause d) of clause 3.10 of Schedule D of the NGPL Tariff Regulations, d) The process of withdrawal mechanism from the Surplus Amount shall be as follows:

- The Settlement Committee shall internally calculate and discuss the deductions applicable, and the available Surplus Amount accrued in each of the committee meetings.
- From time to time, the Settlement Committee shall deliberate on the usage of Surplus Amount either for settlement or as carry forward for subsequent UFT adjustments.

Surplus Adjustment: The SC has adjusted Rs.200 Crore of surplus in the submitted calculations. However, the total surplus amount accumulated in the system including the interest generated is Rs.380 Crore. Therefore, entire Rs.380 Crore is being adjusted from revenue entitlement. Further, the SC has considered 23.36 MMSCMD @ 9500 GCV as CNG + PNG-D volumes pertaining to current Zone 2 and Zone 3. PNGRB has considered 23.00 MMSCMD as CNG+PNG-D volumes for benefit of Zone 1, which shall be review in the next UFT revision.

Accordingly, the revised Unified Tariff works out as following:

| Tariff Order Applicability          | SC Proposal w.e.f. 01.01.26 | Adj. of Rs.380 Crore surplus and Revised CNG+PNG-D Volumes |
|-------------------------------------|-----------------------------|------------------------------------------------------------|
| <b>Levelized Tariff (Rs./MMBTU)</b> | 87.19                       | 83.94                                                      |
| <b>Zone 1 Tariff (Rs./MMBTU)</b>    | 56.17                       | 54.00                                                      |
| <b>Zone 2 Tariff (Rs./MMBTU)</b>    | 107.00                      | 102.86                                                     |

**4.2. Estimated Volume:** The estimated pipeline level volumes submitted by the SC is mostly in line with the actual pipeline level volume flow for the period 01.01.2025 to 15.11.2025.

Therefore, the volumes flow submitted in by the SC have been considered without any change as the all the members of the Industry Committee have participated in the estimation of the future volume flow. Further, as this is the first time that CNG and PNG-D will be given benefit of the Zone 1 tariff, the impact on the surplus/deficit generated in the system is yet to be seen.

**4.3. Unified Tariff Paths and Ratios for Invoicing by Various Entities:** As per the last tariff order, a total of 148 unified tariff paths have been approved by the Board. PNGRB had approved 71 additional Unified Tariff Paths pertaining to Mumbai-Nagpur-Jharsuguda Natural Gas Pipeline (MNJPL) and Srikakulam-Angul Natural Gas Pipeline (SAPL) based on the 3-zone Unified Tariff regime. Thus, the total number of Unified Tariff Paths approved are 219 in the 3-zone Unified Tariff regime.

As the revised 2-zone Unified Tariff regime shall be implemented from 01.01.2026, the Z3 tariff paths would no longer be required. Similarly, the Settlement Committee has proposed to create separate Unified Tariff paths with suffix “CGD-SPL-UFTZ1”. This would make it easier to track the total volumes on which the Zone 1 benefit has been passed on. Accordingly, total Unified Tariff paths suggested by the SC are 265, out of which the special paths for CGD’s CNG and PNG-D volumes are 118. Thus, the earlier approved 219 paths have reduced to 147 tariff paths.

Further, the ratios for invoicing by the pipeline entities as suggested by the settlement committee are being considered. The same shall be reviewed during the next UFT revision.

**5. Public Consultation Process:** In terms of Regulation 2 (1) (k) of the NGPL Tariff regulation, ““unified tariff” means unit natural gas pipeline tariff, in respect of the national gas grid system determined in accordance with regulation 5A, for transportation of natural gas (excluding statutory taxes and levies) denominated in rupees per MMBTU.”

In terms of the extant regulatory framework, Unified tariff shall be the weighted average of approved zonal tariffs in respect of all the pipelines forming part of the national gas grid system, considering the summation of quantity of gas estimated to be transported and the quantity of ship or pay, if any for which the pipeline entity is contractually entitled to recover approved tariff for each such pipeline, for the period for which the Unified tariff is being calculated. Here in this case the unified tariff is being calculated based on the approved tariff of the pipelines which are part of the National Gas Grid System, for the period from 1<sup>st</sup> Jan, 2026 to 31<sup>st</sup> March, 2026 and the estimated volumes provided by the Settlement Committee, which will be trued up based on the actual volumes being transported by various entities and the approved tariff applicable for the

pipelines during the said period in the Unified Tariff determined for the subsequent periods.

Unified Tariff is calculated based on the approved tariff which means, zone-wise natural gas pipeline tariff determined under regulation 4 or zone-wise tariff as per regulation 11 of the Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build, Operate or Expand Natural Gas Pipelines) Regulations, 2008 where PNGRB has already done public consultation. Therefore, the determination of Unified Tariff under Regulation 5A subsumes this process. Further, the provisions of the Unified Tariff provide for the true up of the estimated volumes considered, in the subsequent unified tariff. Therefore, there is no need to have public consultation while determining the current unified tariff.

## **6. Unified Tariff Determined:**

**6.1. Regulatory Provision:** As per Note (ii) of Clause 6 of Part A of Schedule B of NGPL Tariff Regulations, Unified tariff for the two unified tariff zones shall be determined by the Board in a manner that the tariff for first tariff zone for unified tariff shall be 52.50% tariff for the second tariff zone;

Notwithstanding anything contained in this clause, the Board may decide any other percentage or basis other than percentage as mentioned above.

**6.2.** In view of the above, the following Unified Tariff in line with the 52.50% specified in the regulatory provisions has been considered for the period from 01.01.2026 to 31.03.2026.

**(Rs./MMBTU on GCV basis)**

| <b>Particulars</b> | <b>Unified Tariff w.e.f. 01.01.26</b> | <b>Remarks</b>         |
|--------------------|---------------------------------------|------------------------|
| <b>Levelized</b>   | 83.94                                 |                        |
| <b>Zone 1</b>      | 54.00                                 | 52.5% of Zone 2 Tariff |
| <b>Zone 2</b>      | 102.86                                |                        |

**Impact of GST:** The impact of GST under this scenario @18% on the settlement amount between entities comes to Rs.73 Crore. This is due to the reason of higher expected settlement amount amongst the entities.

**6.3.** Based on the above tariff, the Unified Tariff Paths along with ratios for invoicing are as under:

| S.N. | Path Code | Tariff Path                 | MMBTU        | Unified Zone | Entity   |          |          |          |          |          | Unified Tariff Ratios |                    |                    |                    |                    |                    |
|------|-----------|-----------------------------|--------------|--------------|----------|----------|----------|----------|----------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|      |           |                             |              |              | Entity 1 | Entity 2 | Entity 3 | Entity 4 | Entity 5 | Entity 6 | Ratio for Entity 1    | Ratio for Entity 2 | Ratio for Entity 3 | Ratio for Entity 4 | Ratio for Entity 5 | Ratio for Entity 6 |
| 1    | 001       | GAIL;UFT;Z1                 | 4,76,39,228  | Z1           | GAIL     |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 2    | 002       | GAIL;UFT;Z2                 | 17,36,17,131 | Z2           | GAIL     |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 3    | 004       | KG Basin;UFT;Z1             | 11,95,606    | Z1           | KG Basin |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 4    | 005       | GSPL HP;UFT;Z1              | 2,46,52,871  | Z1           | GSPL HP  |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 5    | 006       | GSPL HP;UFT;Z2              | 32,75,726    | Z2           | GSPL HP  |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 6    | 007       | GSPL LP;UFT;Z1              | 24,98,269    | Z1           | GSPL LP  |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 7    | 008       | GIGL;UFT;Z1                 | 0            | Z1           | GIGL     |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 8    | 009       | PIL;UFT;Z1                  | 97,703       | Z1           | PIL      |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 9    | 010       | PIL;UFT;Z2                  | 33,53,533    | Z2           | PIL      |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 10   | 011       | GGL;UFT;Z1                  | 6,42,026     | Z1           | GGL      |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 11   | 013       | ONGC;GAIL;UFT;Z1            | 1,15,47,129  | Z1           | ONGC     | GAIL     |          |          |          |          | 10.00%                | 90.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 12   | 014       | RGPL;GAIL;UFT;Z2            | 20,74,678    | Z2           | RGPL     | GAIL     |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 13   | 017       | GSPL HP;GIGL;UFT;Z1         | 0            | Z1           | GSPL HP  | GIGL     |          |          |          |          | 5.00%                 | 95.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 14   | 018       | GSPL HP;GIGL;UFT;Z2         | 13,55,452    | Z2           | GSPL HP  | GIGL     |          |          |          |          | 5.00%                 | 95.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 15   | 022       | KG Basin;PIL;UFT;Z1         | 74,193       | Z1           | KG Basin | PIL      |          |          |          |          | 10.00%                | 90.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 16   | 024       | GAIL;GSPL HP;UFT;Z1         | 27,00,000    | Z1           | GAIL     | GSPL HP  |          |          |          |          | 65.00%                | 35.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 17   | 025       | GAIL;PIL;UFT;Z1             | 3,47,492     | Z1           | GAIL     | PIL      |          |          |          |          | 13.00%                | 87.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 18   | 027       | GGL;GSPL HP;UFT;Z1          | 14,16,751    | Z1           | GGL      | GSPL HP  |          |          |          |          | 10.00%                | 90.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 19   | 028       | GGL;GSPL LP;UFT;Z1          | 0            | Z1           | GGL      | GSPL LP  |          |          |          |          | 10.00%                | 90.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 20   | 029       | GSPL HP;GSPL LP;UFT;Z1      | 1,18,20,987  | Z1           | GSPL HP  | GSPL LP  |          |          |          |          | 50.00%                | 50.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 21   | 030       | GSPL HP;GSPL LP;UFT;Z2      | 2,090        | Z2           | GSPL HP  | GSPL LP  |          |          |          |          | 50.00%                | 50.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 22   | 032       | GAIL;PIL;UFT;Z2             | 4,00,86,642  | Z2           | GAIL     | PIL      |          |          |          |          | 15.00%                | 85.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 23   | 034       | ONGC;GAIL;UFT;Z2            | 0            | Z2           | ONGC     | GAIL     |          |          |          |          | 70.00%                | 30.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 24   | 035       | GAIL;GSPL HP;UFT;Z2         | 17,24,861    | Z2           | GAIL     | GSPL HP  |          |          |          |          | 68.00%                | 32.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 25   | 037       | RGPL;GAIL;IOCL;UFT;Z2       | 0            | Z2           | RGPL     | GAIL     | IOCL     |          |          |          | 80.00%                | 10.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 26   | 038       | KG Basin;PIL;UFT;Z2         | 3,49,441     | Z2           | KG Basin | PIL      |          |          |          |          | 10.00%                | 90.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 27   | 040       | GAIL;IOCL;UFT;Z2            | 82,39,638    | Z2           | GAIL     | IOCL     |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 28   | 059       | GIGL;UFT;Z2                 | 875          | Z2           | GIGL     |          |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 29   | 061       | GIGL;GSPL HP;PIL;UFT;Z2     | 4,72,640     | Z2           | GIGL     | GSPL HP  | PIL      |          |          |          | 5.00%                 | 5.00%              | 90.00%             | 0.00%              | 0.00%              |                    |
| 30   | 063       | GAIL;PIL;GITL;UFT;Z2        | 66,22,587    | Z2           | GAIL     | PIL      | GITL     |          |          |          | 17.00%                | 58.00%             | 25.00%             | 0.00%              | 0.00%              |                    |
| 31   | 064       | KG Basin;PIL;GITL;UFT;Z1    | 0            | Z1           | KG Basin | PIL      | GITL     |          |          |          | 20.00%                | 70.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 32   | 067       | PIL;GSPL HP;UFT;Z1          | 0            | Z1           | PIL      | GSPL HP  |          |          |          |          | 95.00%                | 5.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 33   | 068       | PIL;GSPL HP;UFT;Z2          | 2,25,37,048  | Z2           | PIL      | GSPL HP  |          |          |          |          | 96.00%                | 4.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 34   | 070       | PIL;GSPL HP;GSPL LP;UFT;Z1  | 0            | Z1           | PIL      | GSPL HP  | GSPL LP  |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              | 0.00%              |                    |
| 35   | 071       | PIL;GSPL HP;GSPL LP;UFT;Z2  | 18,49,315    | Z2           | PIL      | GSPL HP  | GSPL LP  |          |          |          | 91.00%                | 4.50%              | 4.50%              | 0.00%              | 0.00%              |                    |
| 36   | 072       | PIL;GAIL;GSPL HP;UFT;Z1     | 6,47,764     | Z1           | PIL      | GAIL     | GSPL HP  |          |          |          | 75.00%                | 20.00%             | 5.00%              | 0.00%              | 0.00%              |                    |
| 37   | 073       | PIL;GAIL;GSPL HP;UFT;Z2     | 49,42,259    | Z2           | PIL      | GAIL     | GSPL HP  |          |          |          | 75.00%                | 20.00%             | 5.00%              | 0.00%              | 0.00%              |                    |
| 38   | 075       | PIL;GITL;UFT;Z1             | 0            | Z1           | PIL      | GITL     |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 39   | 076       | PIL;GITL;UFT;Z2             | 0            | Z2           | PIL      | GITL     |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 40   | 080       | KG Basin;PIL;GITL;UFT;Z2    | 24,924       | Z2           | KG Basin | PIL      | GITL     |          |          |          | 20.00%                | 70.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 41   | 081       | GIGL;GSPL HP;GAIL;UFT;Z2    | 1,39,529     | Z2           | GIGL     | GSPL HP  | GAIL     |          |          |          | 5.00%                 | 5.00%              | 90.00%             | 0.00%              | 0.00%              |                    |
| 42   | 100       | KG Basin;PIL;GAIL;UFT;Z2    | 45,00,259    | Z2           | KG Basin | PIL      | GAIL     |          |          |          | 10.00%                | 80.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 43   | 104       | GAIL;GSPL HP;GGL;UFT;Z1     | 0            | Z1           | GAIL     | GSPL HP  | GGL      |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              | 0.00%              |                    |
| 44   | 105       | GAIL;GSPL HP;GGL;UFT;Z2     | 0            | Z2           | GAIL     | GSPL HP  | GGL      |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              | 0.00%              |                    |
| 45   | 106       | GAIL;GSPL HP;GSPL LP;UFT;Z1 | 10,63,220    | Z1           | GAIL     | GSPL HP  | GSPL LP  |          |          |          | 92.00%                | 4.00%              | 4.00%              | 0.00%              | 0.00%              |                    |

| S.N. | Path Code | Tariff Path                             | MMBTU     | Unified Zone | Entity   |           |            |          |          |          | Unified Tariff Ratios |                    |                    |                    |                    |                    |
|------|-----------|-----------------------------------------|-----------|--------------|----------|-----------|------------|----------|----------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|      |           |                                         |           |              | Entity 1 | Entity 2  | Entity 3   | Entity 4 | Entity 5 | Entity 6 | Ratio for Entity 1    | Ratio for Entity 2 | Ratio for Entity 3 | Ratio for Entity 4 | Ratio for Entity 5 | Ratio for Entity 6 |
| 46   | 107       | GAIL;GSPL HP;GSPL LP;UFT;Z2             | 1,410     | Z2           | GAIL     | GSPL HP   | GSPL LP    |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              | 0.00%              |                    |
| 47   | 108       | GIGL;GSPL HP;GSPL LP;UFT;Z2             | 1,77,960  | Z2           | GIGL     | GSPL HP   | GSPL LP    |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              | 0.00%              |                    |
| 48   | 114       | GIGL;GSPL HP;PIL;GAIL;UFT;Z2            | 50,18,052 | Z2           | GIGL     | GSPL HP   | PIL        | GAIL     |          |          | 5.00%                 | 5.00%              | 62.00%             | 28.00%             | 0.00%              |                    |
| 49   | 117       | GIGL; IOCL;UFT; Z2                      | 0         | Z2           | GIGL     | IOCL      |            |          |          |          | 88.00%                | 12.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 50   | 121       | GIGL; IOCL; GAIL;UFT;Z2                 | 0         | Z2           | GIGL     | IOCL      | GAIL       |          |          |          | 10.00%                | 10.00%             | 80.00%             | 0.00%              | 0.00%              |                    |
| 51   | 127       | RGPL ;UFT ;Z1                           | 0         | Z1           | RGPL     |           |            |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 52   | 130       | IGGL Z1                                 | 0         | Z1           | IGGL     |           |            |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 53   | 131       | IGGL Z2                                 | 0         | Z2           | IGGL     |           |            |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 54   | 132       | IGGL-GAIL Z1                            | 0         | Z1           | IGGL     | GAIL      |            |          |          |          | 80.00%                | 20.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 55   | 133       | IGGL-GAIL Z2                            | 6,89,593  | Z2           | IGGL     | GAIL      |            |          |          |          | 70.00%                | 30.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 56   | 135       | IGGL-GAIL-PIL-GSPL HP-GIGL-IOCL Z2      | 0         | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  | GIGL     | IOCL     | 35.00%                | 20.00%             | 20.00%             | 5.00%              | 10.00%             | 10.00%             |
| 57   | 137       | IGGL-GAIL-GIGL BGPL Z2                  | 0         | Z2           | IGGL     | GAIL      | GIGL -BGPL |          |          |          | 80.00%                | 10.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 58   | 139       | RGPL-GAIL -IGGL Z2                      | 0         | Z2           | RGPL     | GAIL      | IGGL       |          |          |          | 80.00%                | 10.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 59   | 141       | IGGL-GAIL -GSPL HP-PIL-GITL Z2          | 0         | Z2           | IGGL     | GAIL      | GSPL HP    | PIL      | GITL     |          | 65.00%                | 10.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 60   | 143       | GSPL LP-GSPL HP-PIL-GITL Z2             | 0         | Z2           | GSPL LP  | GSPL HP   | PIL        | GITL     |          |          | 5.00%                 | 5.00%              | 80.00%             | 10.00%             | 0.00%              |                    |
| 61   | 145       | KG Basin-PIL-GSPL HP-GAIL -GIGL BGPL Z2 | 0         | Z2           | KG Basin | PIL       | GSPL HP    |          |          |          | 50.00%                | 45.00%             | 5.00%              | 0.00%              | 0.00%              |                    |
| 62   | 147       | IGGL-GAIL-PIL Z2                        | 0         | Z2           | IGGL     | GAIL      | PIL        |          |          |          | 65.00%                | 10.00%             | 25.00%             | 0.00%              | 0.00%              |                    |
| 63   | 149       | IGGL-GAIL-PIL-KG Basin Z2               | 0         | Z2           | IGGL     | GAIL      | PIL        | KG Basin |          |          | 60.00%                | 10.00%             | 20.00%             | 10.00%             | 0.00%              |                    |
| 64   | 151       | IGGL-GAIL-IOCL Z2                       | 0         | Z2           | IGGL     | GAIL      | IOCL       |          |          |          | 70.00%                | 20.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 65   | 153       | IGGL-GAIL -PIL-GITL Z2                  | 0         | Z2           | IGGL     | GAIL      | PIL        | GITL     |          |          | 10.00%                | 60.00%             | 20.00%             | 10.00%             | 0.00%              |                    |
| 66   | 155       | IGGL-GAIL-GSPL HP- PIL-KG Basin Z2      | 0         | Z2           | IGGL     | GAIL      | GSPL HP    | PIL      | KG Basin |          | 55.00%                | 20.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 67   | 157       | IGGL-GAIL-ONGC Z2                       | 0         | Z2           | IGGL     | GAIL      | ONGC       |          |          |          | 70.00%                | 20.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 68   | 159       | IGGL-GAIL -GSPL HP-GGL Z2               | 0         | Z2           | IGGL     | GAIL      | GSPL HP    | GGL      |          |          | 70.00%                | 20.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 69   | 161       | IGGL -GAIL- IOCL- GIGL Z2               | 0         | Z2           | IGGL     | GAIL      | IOCL       | GIGL     |          |          | 60.00%                | 20.00%             | 10.00%             | 10.00%             | 0.00%              |                    |
| 70   | 163       | IGGL-GAIL-GSPL HP Z2                    | 0         | Z2           | IGGL     | GAIL      | GSPL HP    |          |          |          | 70.00%                | 25.00%             | 5.00%              | 0.00%              | 0.00%              |                    |
| 71   | 165       | IGGL-GAIL -GSPL HP-GSPL LP Z2           | 0         | Z2           | IGGL     | GAIL      | GSPL HP    | GSPL LP  |          |          | 70.00%                | 20.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 72   | 167       | IGGL-GAIL-PIL-GSPL HP-GSPL LP Z2        | 0         | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  | GSPL LP  |          | 65.00%                | 10.00%             | 15.00%             | 5.00%              | 5.00%              |                    |
| 73   | 169       | IGGL-GAIL-GSPL HP-GIGL Z2               | 0         | Z2           | IGGL     | GAIL      | GSPL HP    | GIGL     |          |          | 60.00%                | 30.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 74   | 171       | IGGL-GAIL -GSPL HP-GIGL-IOCL Z2         | 0         | Z2           | IGGL     | GAIL      | GSPL HP    | GIGL     |          |          | 65.00%                | 20.00%             | 5.00%              | 10.00%             | 0.00%              |                    |
| 75   | 173       | IGGL-GAIL -PIL-GSPL HP Z2               | 0         | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  |          |          | 70.00%                | 10.00%             | 15.00%             | 5.00%              | 0.00%              |                    |
| 76   | 175       | IGGL-GAIL-PIL-GSPL HP-GIGL Z2           | 0         | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  | GIGL     |          | 65.00%                | 10.00%             | 10.00%             | 5.00%              | 10.00%             |                    |
| 77   | 177       | GAIL;GIGL-BGPL;UFT;Z2                   | 61,273    | Z2           | GAIL     | GIGL-BGPL |            |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 78   | 178       | KG Basin;PIL;GSPL HP;GSPL LP;UFT;Z2     | 30,223    | Z2           | KG Basin | PIL       | GSPL HP    | GSPL LP  |          |          | 50.00%                | 40.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 79   | 179       | PIL;GAIL;IOCL;UFT;Z2                    | 21,73,451 | Z2           | PIL      | GAIL      | IOCL       |          |          |          | 55.00%                | 35.00%             | 10.00%             | 0.00%              | 0.00%              | 0.00%              |
| 80   | 180       | RGPL;GAIL;GSPL HP;UFT;Z2                | 0         | Z2           | RGPL     | GAIL      | GSPL HP    |          |          |          | 80.00%                | 15.00%             | 5.00%              | 0.00%              | 0.00%              |                    |
| 81   | 181       | KG Basin;PIL;GSPL HP;UFT;Z2             | 3,45,193  | Z2           | KG Basin | PIL       | GSPL HP    |          |          |          | 25.00%                | 70.00%             | 5.00%              | 0.00%              | 0.00%              |                    |
| 82   | 182       | RGPL;GAIL;PIL;UFT;Z2                    | 76,132    | Z2           | RGPL     | GAIL      | PIL        |          |          |          | 80.00%                | 10.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 83   | 183       | RGPL;GAIL;GSPL HP;GSPL LP;UFT;Z2        | 0         | Z2           | RGPL     | GAIL      | GSPL HP    | GSPL LP  |          |          | 80.00%                | 10.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 84   | 184       | RGPL;GAIL;PIL;KG Basin;UFT;Z2           | 0         | Z2           | RGPL     | GAIL      | PIL        | KG Basin |          |          | 70.00%                | 10.00%             | 10.00%             | 10.00%             | 0.00%              |                    |
| 85   | 185       | RGPL;GAIL;PIL;GITL;UFT;Z2               | 0         | Z2           | RGPL     | GAIL      | PIL        | GITL     |          |          | 70.00%                | 10.00%             | 10.00%             | 10.00%             | 0.00%              |                    |
| 86   | 186       | RGPL;GAIL;GSPL HP;GIGL;UFT;Z2           | 0         | Z2           | RGPL     | GAIL      | GSPL HP    | GIGL     |          |          | 75.00%                | 10.00%             | 5.00%              | 10.00%             | 0.00%              | 0.00%              |
| 87   | 187       | RGPL;GAIL;PIL;GSPL HP;UFT;Z2            | 30,600    | Z2           | RGPL     | GAIL      | PIL        | GSPL HP  |          |          | 65.00%                | 10.00%             | 20.00%             | 5.00%              | 0.00%              |                    |
| 88   | 188       | RGPL;GAIL;PIL;GSPL HP;GSPL LP;UFT;Z2    | 63,376    | Z2           | RGPL     | GAIL      | PIL        | GSPL HP  | GSPL LP  |          | 50.00%                | 10.00%             | 30.00%             | 5.00%              | 5.00%              |                    |
| 89   | 189       | RGPL;GAIL;PIL;GSPL HP;GIGL;UFT;Z2       | 0         | Z2           | RGPL     | GAIL      | PIL        | GSPL HP  | GIGL     |          | 60.00%                | 10.00%             | 15.00%             | 5.00%              | 10.00%             |                    |
| 90   | 190       | KG Basin;PIL;GAIL;IOCL;UFT;Z2           | 47,042    | Z2           | KG Basin | PIL       | GAIL       | IOCL     |          |          | 15.00%                | 45.00%             | 30.00%             | 10.00%             | 0.00%              |                    |

| S.N. | Path Code | Tariff Path                                     | MMBTU     | Unified Zone | Entity   |          |           |           |           |          | Unified Tariff Ratios |                    |                    |                    |                    |                    |
|------|-----------|-------------------------------------------------|-----------|--------------|----------|----------|-----------|-----------|-----------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|      |           |                                                 |           |              | Entity 1 | Entity 2 | Entity 3  | Entity 4  | Entity 5  | Entity 6 | Ratio for Entity 1    | Ratio for Entity 2 | Ratio for Entity 3 | Ratio for Entity 4 | Ratio for Entity 5 | Ratio for Entity 6 |
| 91   | 191       | KG Basin;PIL;GSPL HP;GIGL;UFT;Z2                | 7,829     | Z2           | KG Basin | PIL      | GSPL HP   | GIGL      |           |          | 30.00%                | 55.00%             | 5.00%              | 10.00%             | 0.00%              |                    |
| 92   | 192       | PIL;GAIL;GIGL-BGPL;UFT;Z2                       | 158       | Z2           | PIL      | GAIL     | GIGL-BGPL |           |           |          | 75.00%                | 10.00%             | 15.00%             | 0.00%              |                    |                    |
| 93   | 193       | KG Basin;PIL;GAIL;GSPL HP;UFT;Z2                | 0         | Z2           | KG Basin | PIL      | GAIL      | GSPL HP   |           |          | 10.00%                | 70.00%             | 15.00%             | 5.00%              |                    |                    |
| 94   | 194       | GSPL HP;PIL;GITL;UFT;Z2                         | 0         | Z2           | GSPL HP  | PIL      | GITL      |           |           |          | 5.00%                 | 85.00%             | 10.00%             | 0.00%              |                    |                    |
| 95   | 195       | GSPL HP;GAIL;PIL;GITL;UFT;Z2                    | 0         | Z2           | GSPL HP  | GAIL     | PIL       | GITL      |           |          | 5.00%                 | 45.00%             | 40.00%             | 10.00%             |                    |                    |
| 96   | 196       | KG Basin;PIL;GAIL;GSPL HP;GSPL LP;UFT;Z2        | 29,179    | Z2           | KG Basin | PIL      | GAIL      | GSPL HP   | GSPL LP   |          | 45.00%                | 30.00%             | 15.00%             | 5.00%              | 5.00%              |                    |
| 97   | 197       | PIL;GAIL;GSPL HP;GSPL LP;UFT;Z2                 | 4,258     | Z2           | PIL      | GAIL     | GSPL HP   | GSPL LP   |           |          | 80.00%                | 10.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 98   | 198       | KG Basin; PIL; GSPL HP; GIGL; IOCL; UFT;Z2      | 0         | Z2           | KG Basin | PIL      | GSPL HP   | GIGL      | IOCL      |          | 45.00%                | 30.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 99   | 199       | PIL; GSPL HP; GIGL; IOCL;UFT Z2                 | 38,10,823 | Z2           | PIL      | GSPL HP  | GIGL      | IOCL      |           |          | 75.00%                | 5.00%              | 5.00%              | 15.00%             | 0.00%              |                    |
| 100  | 200       | GSPL HP; GIGL; IOCL;UFT;Z2                      | 24,46,195 | Z2           | GSPL HP  | GIGL     | IOCL      |           |           |          | 5.00%                 | 75.00%             | 20.00%             | 0.00%              | 0.00%              |                    |
| 101  | 201       | GAIL; GSPL HP; GIGL; IOCL;UFT;Z2                | 0         | Z2           | GAIL     | GSPL HP  | GIGL      | IOCL      |           |          | 80.00%                | 5.00%              | 5.00%              | 10.00%             | 0.00%              | 0.00%              |
| 102  | 202       | PIL; GAIL; GSPL HP; GIGL; IOCL;UFT;Z2           | 0         | Z2           | PIL      | GAIL     | GSPL HP   | GIGL      | IOCL      |          | 60.00%                | 15.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 103  | 203       | GSPL LP; GSPL HP; GIGL; IOCL;UFT;Z2             | 0         | Z2           | GSPL LP  | GSPL HP  | GIGL      | IOCL      |           |          | 5.00%                 | 5.00%              | 80.00%             | 10.00%             |                    |                    |
| 104  | 204       | KG Basin; PIL; GAIL; GSPL HP; GIGL; IOCL;UFT;Z2 | 0         | Z2           | KG BASIN | PIL      | GAIL      | GSPL HP   | GIGL      | IOCL     | 40.00%                | 25.00%             | 10.00%             | 5.00%              | 10.00%             | 10.00%             |
| 105  | 205       | RGPL; GAIL; GIGL-BGPL Z2                        | 0         | Z2           | RGPL     | GAIL     | GIGL-BGPL |           |           |          | 65.00%                | 15.00%             | 20.00%             | 0.00%              |                    |                    |
| 106  | 206       | KG Basin; PIL;GAIL; GIGL-BGPL; UFT ;Z2          | 478       | Z2           | KG BASIN | PIL      | GAIL      | GIGL-BGPL |           |          | 40.00%                | 30.00%             | 20.00%             | 10.00%             | 0.00%              |                    |
| 107  | 208       | RGPL;GAIL;GSPL HP;GIGL-BGPL;UFT;Z2              | 0         | Z2           | RGPL     | GAIL     | GSPL HP   | GIGL-BGPL |           |          | 75.00%                | 10.00%             | 5.00%              | 10.00%             |                    |                    |
| 108  | 209       | RGPL;GAIL;PIL;GSPL HP;GIGL;BGPL;UFT;Z2          | 0         | Z2           | RGPL     | GAIL     | PIL       | GSPL HP   | GIGL-BGPL |          | 50.00%                | 10.00%             | 25.00%             | 10.00%             | 5.00%              |                    |
| 109  | 210       | RGPL;GAIL;GSPL HP;PIL;UFT;Z2                    | 0         | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       |           |          | 50.00%                | 10.00%             | 5.00%              | 35.00%             |                    |                    |
| 110  | 211       | RGPL;GAIL;GSPL HP;PIL; KG Basin;UFT;Z2          | 0         | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       | KG Basin  |          | 50.00%                | 10.00%             | 5.00%              | 25.00%             | 10.00%             | 0.00%              |
| 111  | 212       | RGPL;GAIL;GSPL HP;PIL; GITL;UFT;Z2              | 0         | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       | GITL      |          | 50.00%                | 10.00%             | 5.00%              | 25.00%             | 10.00%             |                    |
| 112  | 213       | MNJPL Z1                                        | 0         | Z1           | MNJPL    |          |           |           |           |          | 100.00%               |                    |                    |                    |                    |                    |
| 113  | 214       | MNJPL Z2                                        | 0         | Z2           | MNJPL    |          |           |           |           |          | 100.00%               |                    |                    |                    |                    |                    |
| 114  | 215       | GAIL - MNJPL Z1                                 | 0         | Z1           | GAIL     | MNJPL    |           |           |           |          | 50.00%                | 50.00%             |                    |                    |                    |                    |
| 115  | 216       | GAIL - MNJPL Z2                                 | 11,20,878 | Z2           | GAIL     | MNJPL    |           |           |           |          | 50.00%                | 50.00%             |                    |                    |                    |                    |
| 116  | 217       | RGPL-GAIL -MNJPL Z2                             | 0         | Z2           | RGPL     | GAIL     | MNJPL     |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 117  | 218       | IGGL-GAIL -MNJPL Z2                             | 0         | Z2           | IGGL     | GAIL     | MNJPL     |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 118  | 219       | PIL-GAIL -MNJPL Z2                              | 2,66,400  | Z2           | PIL      | GAIL     | MNJPL     |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 119  | 220       | GSPL HP-GAIL -MNJPL Z2                          | 0         | Z2           | GSPL HP  | GAIL     | MNJPL     |           |           |          | 5.00%                 | 85.00%             | 10.00%             |                    |                    |                    |
| 120  | 221       | GSPL LP-GSPL HP-GAIL -MNJPL Z2                  | 0         | Z2           | GSPL LP  | GSPL HP  | GAIL      | MNJPL     |           |          | 5.00%                 | 5.00%              | 80.00%             | 10.00%             |                    |                    |
| 121  | 222       | KG Basin-PIL-GAIL -MNJPL Z2                     | 33,300    | Z2           | KG Basin | PIL      | GAIL      | MNJPL     |           |          | 10.00%                | 70.00%             | 10.00%             | 10.00%             |                    |                    |
| 122  | 223       | GIGL-GSPL HP-GAIL -MNJPL Z2                     | 0         | Z2           | GIGL     | GSPL HP  | GAIL      | MNJPL     |           |          | 20.00%                | 5.00%              | 65.00%             | 10.00%             |                    |                    |
| 123  | 224       | KG Basin-PIL-GSPL HP - GAIL -MNJPL Z2           | 0         | Z2           | KG Basin | PIL      | GSPL HP   | GAIL      | MNJPL     |          | 10.00%                | 65.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 124  | 225       | ONGC - GAIL - MNJPL Z2                          | 0         | Z2           | ONGC     | GAIL     | MNJPL     |           |           |          | 50.00%                | 40.00%             | 10.00%             |                    |                    |                    |
| 125  | 226       | GSPL LP-GSPL HP-PIL-GAIL -MNJPL Z2              | 0         | Z2           | GSPL LP  | GSPL HP  | PIL       | GAIL      | MNJPL     |          | 5.00%                 | 5.00%              | 70.00%             | 10.00%             | 10.00%             |                    |
| 126  | 227       | GSPL HP-PIL-GAIL -MNJPL Z2                      | 0         | Z2           | GSPL HP  | PIL      | GAIL      | MNJPL     |           |          | 10.00%                | 60.00%             | 20.00%             | 10.00%             |                    |                    |
| 127  | 228       | GIGL-GSPL HP-PIL-GAIL -MNJPL Z2                 | 0         | Z2           | GIGL     | GSPL HP  | PIL       | GAIL      | MNJPL     |          | 10.00%                | 5.00%              | 65.00%             | 10.00%             | 10.00%             |                    |
| 128  | 229       | PIL-MNJPL Z2                                    | 0         | Z2           | PIL      | MNJPL    |           |           |           |          | 90.00%                | 10.00%             | 0.00%              |                    |                    |                    |
| 129  | 230       | KG Basin-PIL-MNJPL Z2                           | 66,600    | Z2           | KG Basin | PIL      | MNJPL     |           |           |          | 10.00%                | 80.00%             | 10.00%             |                    |                    |                    |
| 130  | 231       | RGPL-GAIL-PIL-MNJPL Z2                          | 0         | Z2           | RGPL     | GAIL     | PIL       | MNJPL     |           |          | 70.00%                | 10.00%             | 10.00%             | 10.00%             |                    |                    |
| 131  | 232       | RGPL-GAIL-GSPLHP-PIL-MNJPL Z2                   | 0         | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       | MNJPL     |          | 60.00%                | 10.00%             | 5.00%              | 15.00%             | 10.00%             |                    |
| 132  | 233       | SAPL Z1                                         | 0         | Z1           | SAPL     |          |           |           |           |          | 100.00%               | 0.00%              | 0.00%              |                    |                    |                    |
| 133  | 234       | SAPL Z2                                         | 0         | Z2           | SAPL     |          |           |           |           |          | 100.00%               | 0.00%              | 0.00%              |                    |                    |                    |
| 134  | 235       | GAIL - SAPL Z2                                  | 1,19,880  | Z2           | GAIL     | SAPL     |           |           |           |          | 50.00%                | 50.00%             | 0.00%              |                    |                    |                    |
| 135  | 236       | RGPL-GAIL -SAPL Z2                              | 0         | Z2           | RGPL     | GAIL     | SAPL      |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |

| S.N. | Path Code | Tariff Path                                | MMBTU       | Unified Zone | Entity   |           |          |          |          |          | Unified Tariff Ratios |                    |                    |                    |                    |                    |
|------|-----------|--------------------------------------------|-------------|--------------|----------|-----------|----------|----------|----------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|      |           |                                            |             |              | Entity 1 | Entity 2  | Entity 3 | Entity 4 | Entity 5 | Entity 6 | Ratio for Entity 1    | Ratio for Entity 2 | Ratio for Entity 3 | Ratio for Entity 4 | Ratio for Entity 5 | Ratio for Entity 6 |
| 136  | 237       | IGGL-GAIL -SAPL Z2                         | 0           | Z2           | IGGL     | GAIL      | SAPL     |          |          |          | 90.00%                | 5.00%              | 5.00%              |                    |                    |                    |
| 137  | 238       | PIL-GAIL -SAPL Z2                          | 0           | Z2           | PIL      | GAIL      | SAPL     |          |          |          | 80.00%                | 10.00%             | 10.00%             | 0.00%              |                    |                    |
| 138  | 239       | GSPL HP-GAIL -SAPL Z2                      | 0           | Z2           | GSPL HP  | GAIL      | SAPL     |          |          |          | 5.00%                 | 45.00%             | 50.00%             |                    |                    |                    |
| 139  | 240       | GSPL LP-GSPL HP-GAIL -SAPL Z2              | 0           | Z2           | GSPL LP  | GSPL HP   | GAIL     | SAPL     |          |          | 5.00%                 | 5.00%              | 45.00%             | 45.00%             |                    |                    |
| 140  | 241       | KG Basin-PIL-GAIL -SAPL Z2                 | 0           | Z2           | KG Basin | PIL       | GAIL     | SAPL     |          |          | 10.00%                | 70.00%             | 10.00%             | 10.00%             |                    |                    |
| 141  | 242       | GIGL-GSPL HP-GAIL -SAPL Z2                 | 0           | Z2           | GIGL     | GSPL HP   | GAIL     | SAPL     |          |          | 30.00%                | 5.00%              | 35.00%             | 30.00%             |                    |                    |
| 142  | 243       | KG Basin-PIL-GSPL HP-GAIL -SAPL Z2         | 0           | Z2           | KG Basin | PIL       | GSPL HP  | GAIL     | SAPL     |          | 10.00%                | 65.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 143  | 244       | ONGC - GAIL - SAPL Z2                      | 0           | Z2           | ONGC     | GAIL      | SAPL     |          |          |          | 50.00%                | 25.00%             | 25.00%             |                    |                    |                    |
| 144  | 245       | GSPL LP-GSPL HP-PIL-GAIL -SAPL Z2          | 0           | Z2           | GSPL LP  | GSPL HP   | PIL      | GAIL     | SAPL     |          | 5.00%                 | 5.00%              | 70.00%             | 10.00%             | 10.00%             |                    |
| 145  | 246       | GSPL HP-PIL-GAIL -SAPL Z2                  | 0           | Z2           | GSPL HP  | PIL       | GAIL     | SAPL     |          |          | 5.00%                 | 75.00%             | 10.00%             | 10.00%             |                    |                    |
| 146  | 247       | GIGL-GSPL HP-PIL-GAIL -SAPL Z2             | 0           | Z2           | GIGL     | GSPL HP   | PIL      | GAIL     | SAPL     |          | 10.00%                | 5.00%              | 60.00%             | 15.00%             | 10.00%             |                    |
| 147  | 248       | GAIL - SAPL Z1                             | 0           | Z1           | GAIL     | SAPL      | 0        | 0        | 0        |          | 50.00%                | 50.00%             |                    |                    |                    |                    |
| 148  | 500       | GAIL;CGD-SPL-UFTZ1                         | 4,21,95,421 | Z1           | GAIL     |           |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              |                    |                    |
| 149  | 501       | GSPL HP;CGD-SPL-UFTZ1                      | 12,96,989   | Z1           | GSPL HP  |           |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              |                    |                    |
| 150  | 502       | PIL;CGD-SPL-UFTZ1                          | 0           | Z1           | PIL      |           |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              |                    |                    |
| 151  | 503       | RGPL;GAIL;CGD-SPL-UFTZ1                    | 3,79,774    | Z1           | RGPL     | GAIL      |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              |                    |                    |
| 152  | 504       | GSPL HP;GIGL;CGD-SPL-UFTZ1                 | 19,77,127   | Z1           | GSPL HP  | GIGL      |          |          |          |          | 5.00%                 | 95.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 153  | 505       | GSPL HP;GSPL LP;CGD-SPL-UFTZ1              | 7,745       | Z1           | GSPL HP  | GSPL LP   |          |          |          |          | 50.00%                | 50.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 154  | 506       | GAIL;PIL;CGD-SPL-UFTZ1                     | 1,05,65,061 | Z1           | GAIL     | PIL       |          |          |          |          | 10.00%                | 90.00%             | 0.00%              | 0.00%              |                    |                    |
| 155  | 507       | ONGC;GAIL;CGD-SPL-UFTZ1                    | 0           | Z1           | ONGC     | GAIL      |          |          |          |          | 30.00%                | 70.00%             | 0.00%              | 0.00%              |                    |                    |
| 156  | 508       | GAIL;GSPL HP;CGD-SPL-UFTZ1                 | 63,92,062   | Z1           | GAIL     | GSPL HP   |          |          |          |          | 95.00%                | 5.00%              | 0.00%              |                    |                    |                    |
| 157  | 509       | RGPL;GAIL;IOCL;CGD-SPL-UFTZ1               | 0           | Z1           | RGPL     | GAIL      | IOCL     |          |          |          | 80.00%                | 10.00%             | 10.00%             | 0.00%              |                    |                    |
| 158  | 510       | KG Basin;PIL;CGD-SPL-UFTZ1                 | 12,95,118   | Z1           | KG Basin | PIL       |          |          |          |          | 10.00%                | 90.00%             | 0.00%              |                    |                    |                    |
| 159  | 511       | GAIL;IOCL;CGD-SPL-UFTZ1                    | 10,40,501   | Z1           | GAIL     | IOCL      |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              |                    |                    |
| 160  | 512       | GIGL;CGD-SPL-UFTZ1                         | 3,244       | Z1           | GIGL     |           |          |          |          |          | 100.00%               | 0.00%              | 0.00%              | 0.00%              | 0.00%              |                    |
| 161  | 513       | GIGL;GSPL HP;PIL;CGD-SPL-UFTZ1             | 4,63,659    | Z1           | GIGL     | GSPL HP   | PIL      |          |          |          | 10.00%                | 5.00%              | 85.00%             | 0.00%              |                    |                    |
| 162  | 514       | GAIL;PIL;GITL;CGD-SPL-UFTZ1                | 7,448       | Z1           | GAIL     | PIL       | GITL     |          |          |          | 10.00%                | 80.00%             | 10.00%             | 0.00%              | 0.00%              |                    |
| 163  | 515       | PIL;GSPL HP;CGD-SPL-UFTZ1                  | 59,24,777   | Z1           | PIL      | GSPL HP   |          |          |          |          | 95.00%                | 5.00%              | 0.00%              | 0.00%              |                    |                    |
| 164  | 516       | PIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1          | 0           | Z1           | PIL      | GSPL HP   | GSPL LP  |          |          |          | 85.00%                | 10.00%             | 5.00%              |                    |                    |                    |
| 165  | 517       | PIL;GAIL;GSPL HP;CGD-SPL-UFTZ1             | 2,76,407    | Z1           | PIL      | GAIL      | GSPL HP  |          |          |          | 85.00%                | 10.00%             | 5.00%              | 0.00%              |                    |                    |
| 166  | 518       | PIL;GITL;CGD-SPL-UFTZ1                     | 0           | Z1           | PIL      | GITL      |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 167  | 519       | KG Basin;PIL;GITL;CGD-SPL-UFTZ1            | 60,060      | Z1           | KG Basin | PIL       | GITL     |          |          |          | 10.00%                | 80.00%             | 10.00%             | 0.00%              |                    |                    |
| 168  | 520       | GIGL;GSPL HP;GAIL;CGD-SPL-UFTZ1            | 5,17,079    | Z1           | GIGL     | GSPL HP   | GAIL     |          |          |          | 10.00%                | 5.00%              | 85.00%             | 0.00%              | 0.00%              | 0.00%              |
| 169  | 521       | KG Basin;PIL;GAIL;CGD-SPL-UFTZ1            | 45,90,055   | Z1           | KG Basin | PIL       | GAIL     |          |          |          | 10.00%                | 75.00%             | 15.00%             |                    |                    |                    |
| 170  | 522       | GAIL;GSPL HP;GGL;CGD-SPL-UFTZ1             | 0           | Z1           | GAIL     | GSPL HP   | GGL      |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              |                    |                    |
| 171  | 523       | GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1         | 524         | Z1           | GAIL     | GSPL HP   | GSPL LP  |          |          |          | 90.00%                | 5.00%              | 5.00%              |                    |                    |                    |
| 172  | 524       | GIGL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1         | 0           | Z1           | GIGL     | GSPL HP   | GSPL LP  |          |          |          | 90.00%                | 5.00%              | 5.00%              | 0.00%              | 0.00%              | 0.00%              |
| 173  | 525       | GIGL;GSPL HP;PIL;GAIL;CGD-SPL-UFTZ1        | 2,52,192    | Z1           | GIGL     | GSPL HP   | PIL      | GAIL     |          |          | 15.00%                | 5.00%              | 40.00%             | 40.00%             | 0.00%              |                    |
| 174  | 526       | GIGL; IOCL;CGD-SPL-UFTZ1                   | 0           | Z1           | GIGL     | IOCL      |          |          |          |          | 90.00%                | 10.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 175  | 527       | GIGL; IOCL; GAIL;CGD-SPL-UFTZ1             | 0           | Z1           | GIGL     | IOCL      | GAIL     |          |          |          | 20.00%                | 10.00%             | 70.00%             | 0.00%              | 0.00%              |                    |
| 176  | 528       | GAIL;GIGL-BGPL;CGD-SPL-UFTZ1               | 2,27,013    | Z1           | GAIL     | GIGL-BGPL |          |          |          |          | 75.00%                | 25.00%             | 0.00%              | 0.00%              | 0.00%              |                    |
| 177  | 529       | KG Basin;PIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1 | 0           | Z1           | KG Basin | PIL       | GSPL HP  | GSPL LP  |          |          | 10.00%                | 80.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 178  | 530       | PIL;GAIL;IOCL;CGD-SPL-UFTZ1                | 3,15,538    | Z1           | PIL      | GAIL      | IOCL     |          |          |          | 75.00%                | 15.00%             | 10.00%             | 0.00%              |                    |                    |
| 179  | 531       | RGPL;GAIL;GSPL HP;CGD-SPL-UFTZ1            | 0           | Z1           | RGPL     | GAIL      | GSPL HP  |          |          |          | 75.00%                | 20.00%             | 5.00%              | 0.00%              |                    |                    |
| 180  | 532       | KG Basin;PIL;GSPL HP;CGD-SPL-UFTZ1         | 91,937      | Z1           | KG Basin | PIL       | GSPL HP  |          |          |          | 20.00%                | 75.00%             | 5.00%              | 0.00%              |                    |                    |

| S.N. | Path Code | Tariff Path                                            | MMBTU  | Unified Zone | Entity   |          |            |           |            |          | Unified Tariff Ratios |                    |                    |                    |                    |                    |
|------|-----------|--------------------------------------------------------|--------|--------------|----------|----------|------------|-----------|------------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|      |           |                                                        |        |              | Entity 1 | Entity 2 | Entity 3   | Entity 4  | Entity 5   | Entity 6 | Ratio for Entity 1    | Ratio for Entity 2 | Ratio for Entity 3 | Ratio for Entity 4 | Ratio for Entity 5 | Ratio for Entity 6 |
| 181  | 533       | RGPL;GAIL;PIL;CGD-SPL-UFTZ1                            | 35,363 | Z1           | RGPL     | GAIL     | PIL        |           |            |          | 70.00%                | 20.00%             | 10.00%             | 0.00%              |                    |                    |
| 182  | 534       | RGPL;GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1                | 0      | Z1           | RGPL     | GAIL     | GSPL HP    | GSPL LP   |            |          | 60.00%                | 30.00%             | 5.00%              | 5.00%              | 0.00%              |                    |
| 183  | 535       | RGPL;GAIL;PIL;KG Basin;CGD-SPL-UFTZ1                   | 0      | Z1           | RGPL     | GAIL     | PIL        | KG Basin  |            |          | 70.00%                | 10.00%             | 10.00%             | 10.00%             | 0.00%              |                    |
| 184  | 536       | RGPL;GAIL;PIL;GITL;CGD-SPL-UFTZ1                       | 0      | Z1           | RGPL     | GAIL     | PIL        | GITL      |            |          | 60.00%                | 10.00%             | 20.00%             | 10.00%             | 0.00%              |                    |
| 185  | 537       | RGPL;GAIL;GSPL HP;GIGL;CGD-SPL-UFTZ1                   | 0      | Z1           | RGPL     | GAIL     | GSPL HP    | GIGL      |            |          | 70.00%                | 15.00%             | 5.00%              | 10.00%             | 0.00%              |                    |
| 186  | 538       | RGPL;GAIL;PIL;GSPL HP;CGD-SPL-UFTZ1                    | 0      | Z1           | RGPL     | GAIL     | PIL        | GSPL HP   |            |          | 65.00%                | 15.00%             | 15.00%             | 5.00%              | 0.00%              |                    |
| 187  | 539       | RGPL;GAIL;PIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1            | 0      | Z1           | RGPL     | GAIL     | PIL        | GSPL HP   | GSPL LP    |          | 70.00%                | 10.00%             | 10.00%             | 5.00%              | 5.00%              | 0.00%              |
| 188  | 540       | RGPL;GAIL;PIL;GSPL HP;GIGL;CGD-SPL-UFTZ1               | 0      | Z1           | RGPL     | GAIL     | PIL        | GSPL HP   | GIGL       |          | 60.00%                | 10.00%             | 20.00%             | 5.00%              | 5.00%              |                    |
| 189  | 541       | KG Basin;PIL;GAIL;IOCL;CGD-SPL-UFTZ1                   | 47,277 | Z1           | KG Basin | PIL      | GAIL       | IOCL      |            |          | 30.00%                | 40.00%             | 20.00%             | 10.00%             |                    |                    |
| 190  | 542       | KG Basin;PIL;GAIL;GSPL HP;GIGL;CGD-SPL-UFTZ1           | 29,014 | Z1           | KG Basin | PIL      | GSPL HP    | GIGL      |            |          | 50.00%                | 35.00%             | 5.00%              | 10.00%             | 0.00%              |                    |
| 191  | 543       | PIL;GAIL;GIGL-BGPL;CGD-SPL-UFTZ1                       | 586    | Z1           | PIL      | GAIL     | GIGL-BGPL  |           |            |          | 70.00%                | 20.00%             | 10.00%             | 0.00%              |                    |                    |
| 192  | 544       | KG Basin;PIL;GAIL;GSPL HP;CGD-SPL-UFTZ1                | 0      | Z1           | KG Basin | PIL      | GAIL       | GSPL HP   |            |          | 35.00%                | 40.00%             | 20.00%             | 5.00%              | 0.00%              |                    |
| 193  | 545       | GSPL HP;PIL;GITL;CGD-SPL-UFTZ1                         | 0      | Z1           | GSPL HP  | PIL      | GITL       |           |            |          | 5.00%                 | 85.00%             | 10.00%             |                    |                    |                    |
| 194  | 546       | GSPL HP;GAIL;PIL;GITL;CGD-SPL-UFTZ1                    | 0      | Z1           | GSPL HP  | GAIL     | PIL        | GITL      |            |          | 5.00%                 | 15.00%             | 70.00%             | 10.00%             |                    |                    |
| 195  | 547       | KG Basin;PIL;GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1        | 0      | Z1           | KG Basin | PIL      | GAIL       | GSPL HP   | GSPL LP    |          | 15.00%                | 50.00%             | 25.00%             | 5.00%              | 5.00%              |                    |
| 196  | 548       | PIL;GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1                 | 15,779 | Z1           | PIL      | GAIL     | GSPL HP    | GSPL LP   |            |          | 80.00%                | 10.00%             | 5.00%              | 5.00%              |                    |                    |
| 197  | 549       | KG Basin; PIL; GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1       | 0      | Z1           | KG Basin | PIL      | GSPL HP    | GIGL      | IOCL       |          | 15.00%                | 60.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 198  | 550       | PIL; GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1                 | 0      | Z1           | PIL      | GSPL HP  | GIGL       | IOCL      |            |          | 75.00%                | 5.00%              | 10.00%             | 10.00%             |                    |                    |
| 199  | 551       | GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1                      | 0      | Z1           | GSPL HP  | GIGL     | IOCL       |           |            |          | 5.00%                 | 50.00%             | 45.00%             |                    |                    |                    |
| 200  | 552       | GAIL; GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1                | 0      | Z1           | GAIL     | GSPL HP  | GIGL       | IOCL      |            |          | 70.00%                | 5.00%              | 15.00%             | 10.00%             |                    |                    |
| 201  | 553       | PIL; GAIL; GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1           | 0      | Z1           | PIL      | GAIL     | GSPL HP    | GIGL      | IOCL       |          | 50.00%                | 25.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 202  | 554       | GSPL LP; GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1             | 0      | Z1           | GSPL LP  | GSPL HP  | GIGL       | IOCL      |            |          | 5.00%                 | 5.00%              | 60.00%             | 30.00%             |                    |                    |
| 203  | 555       | KG Basin; PIL; GAIL; GSPL HP; GIGL; IOCL;CGD-SPL-UFTZ1 | 0      | Z1           | KG Basin | PIL      | GAIL       | GSPL HP   | GIGL       | IOCL     | 15.00%                | 40.00%             | 20.00%             | 5.00%              | 10.00%             | 10.00%             |
| 204  | 556       | RGPL; GAIL; GIGL-BGPL;CGD-SPL-UFTZ1                    | 0      | Z1           | RGPL     | GAIL     | GIGL-BGPL  |           |            |          | 70.00%                | 20.00%             | 10.00%             |                    |                    |                    |
| 205  | 557       | KG Basin; PIL;GAIL, GIGL-BGPL;CGD-SPL-UFTZ1            | 1,772  | Z1           | KG Basin | PIL      | GAIL       | GIGL-BGPL |            |          | 10.00%                | 70.00%             | 10.00%             | 10.00%             |                    |                    |
| 206  | 558       | IGGL ;CGD-SPL-UFTZ1                                    | 0      | Z1           | IGGL     |          |            |           |            |          | 100.00%               |                    |                    |                    |                    |                    |
| 207  | 559       | IGGL;GAIL;PIL;GSPL HP;GIGL ;CGD-SPL;UFTZ1              | 0      | Z1           | IGGL     | GAIL     | PIL        | GSPL HP   | GIGL       |          | 60.00%                | 10.00%             | 10.00%             | 10.00%             | 10.00%             |                    |
| 208  | 560       | IGGL;GAIL;GIGL-BGPL ;CGD;SPL;UFTZ1                     | 0      | Z1           | IGGL     | GAIL     | GIGL -BGPL |           |            |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 209  | 561       | RGPL;GAIL ;IGGL;CGD;SPL;UFTZ1                          | 0      | Z1           | RGPL     | GAIL     | IGGL       |           |            |          | 50.00%                | 10.00%             | 40.00%             |                    |                    |                    |
| 210  | 562       | IGGL;GAIL ;GSPL HP;PIL;GITL;CGD;SPL;UFTZ1              | 0      | Z1           | IGGL     | GAIL     | GSPL HP    | PIL       | GITL       |          | 50.00%                | 10.00%             | 5.00%              | 25.00%             | 10.00%             |                    |
| 211  | 563       | GSPL LP;GSPL HP;PIL;GITL;CGD;SPL;UFTZ1                 | 0      | Z1           | GSPL LP  | GSPL HP  | PIL        | GITL      |            |          | 5.00%                 | 5.00%              | 80.00%             | 10.00%             |                    |                    |
| 212  | 564       | KG Basin;PIL;GSPL HP;GAIL ;GIGL-BGPL ;CGD;SPL;UFTZ1    | 0      | Z1           | KG Basin | PIL      | GSPL HP    | GAIL      | GIGL -BGPL |          | 15.00%                | 60.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 213  | 565       | IGGL;GAIL;PIL;CGD;SPL;UFTZ1                            | 0      | Z1           | IGGL     | GAIL     | PIL        |           |            |          | 50.00%                | 10.00%             | 40.00%             |                    |                    |                    |
| 214  | 566       | IGGL;GAIL;PIL;KG Basin;CGD;SPL;UFTZ1                   | 0      | Z1           | IGGL     | GAIL     | PIL        | KG Basin  |            |          | 50.00%                | 10.00%             | 30.00%             | 10.00%             |                    |                    |
| 215  | 567       | IGGL;GAIL;IOCL;CGD;SPL;UFTZ1                           | 0      | Z1           | IGGL     | GAIL     | IOCL       |           |            |          | 70.00%                | 20.00%             | 10.00%             |                    |                    |                    |
| 216  | 568       | IGGL;GAIL ;PIL;GITL;CGD;SPL;UFTZ1                      | 0      | Z1           | IGGL     | GAIL     | PIL        | GITL      |            |          | 60.00%                | 10.00%             | 20.00%             | 10.00%             |                    |                    |
| 217  | 569       | IGGL;GAIL;GSPL HP; PIL;KG Basin;CGD;SPL;UFTZ1          | 0      | Z1           | IGGL     | GAIL     | GSPL HP    | PIL       | KG Basin   |          | 50.00%                | 10.00%             | 5.00%              | 25.00%             | 10.00%             |                    |
| 218  | 570       | IGGL;GAIL;ONGC;CGD;SPL;UFTZ1                           | 0      | Z1           | IGGL     | GAIL     | ONGC       |           |            |          | 70.00%                | 20.00%             | 10.00%             |                    |                    |                    |
| 219  | 571       | IGGL;GAIL ;GSPL HP;GGL;CGD;SPL;UFTZ1                   | 0      | Z1           | IGGL     | GAIL     | GSPL HP    | GGL       |            |          | 70.00%                | 20.00%             | 5.00%              | 5.00%              |                    |                    |
| 220  | 572       | IGGL ;GAIL; IOCL ; GIGL CGD;SPL;UFTZ1                  | 0      | Z1           | IGGL     | GAIL     | IOCL       | GIGL      |            |          | 60.00%                | 20.00%             | 10.00%             | 10.00%             |                    |                    |
| 221  | 573       | IGGL;GAIL;GSPL HP;CGD;SPL;UFTZ1                        | 0      | Z1           | IGGL     | GAIL     | GSPL HP    |           |            |          | 60.00%                | 35.00%             | 5.00%              |                    |                    |                    |
| 222  | 574       | IGGL;GAIL ;GSPL HP;GSPL LP;CGD;SPL;UFTZ1               | 0      | Z1           | IGGL     | GAIL     | GSPL HP    | GSPL LP   |            |          | 50.00%                | 30.00%             | 10.00%             | 10.00%             |                    |                    |
| 223  | 575       | IGGL;GAIL;PIL;GSPL HP;GSPL LP;CGD;SPL;UFTZ1            | 0      | Z1           | IGGL     | GAIL     | PIL        | GSPL HP   | GSPL LP    |          | 50.00%                | 20.00%             | 20.00%             | 5.00%              | 5.00%              |                    |
| 224  | 576       | IGGL;GAIL;GSPL HP;GIGL;CGD;SPL;UFTZ1                   | 0      | Z1           | IGGL     | GAIL     | GSPL HP    | GIGL      |            |          | 50.00%                | 35.00%             | 5.00%              | 10.00%             |                    |                    |
| 225  | 577       | IGGL;GAIL ;GSPL HP;GIGL;IOCL;CGD;SPL;UFTZ1             | 0      | Z1           | IGGL     | GAIL     | GSPL HP    | GIGL      | IOCL       |          | 50.00%                | 25.00%             | 5.00%              | 10.00%             | 10.00%             |                    |

| S.N. | Path Code | Tariff Path                                     | MMBTU | Unified Zone | Entity   |          |          |           |           |          | Unified Tariff Ratios |                    |                    |                    |                    |                    |
|------|-----------|-------------------------------------------------|-------|--------------|----------|----------|----------|-----------|-----------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|      |           |                                                 |       |              | Entity 1 | Entity 2 | Entity 3 | Entity 4  | Entity 5  | Entity 6 | Ratio for Entity 1    | Ratio for Entity 2 | Ratio for Entity 3 | Ratio for Entity 4 | Ratio for Entity 5 | Ratio for Entity 6 |
| 226  | 578       | IGGL;GAIL;PIL;GSPL HP;CGD;SPL;UFTZ1             | 0     | Z1           | IGGL     | GAIL     | PIL      | GSPL HP   |           |          | 50.00%                | 25.00%             | 20.00%             | 5.00%              |                    |                    |
| 227  | 579       | IGGL;GAIL;PIL;GSPL HP;GIGL;CGD;SPL;UFTZ1        | 0     | Z1           | IGGL     | GAIL     | PIL      | GSPL HP   | GIGL      |          | 45.00%                | 20.00%             | 20.00%             | 5.00%              | 10.00%             |                    |
| 228  | 580       | MNJPL;CGD;SPL;UFTZ1                             | 0     | Z1           | MNJPL    |          |          |           |           |          | 100.00%               |                    |                    |                    |                    |                    |
| 229  | 581       | GAIL;MNJPL;CGD;SPL;UFTZ1                        | 0     | Z1           | GAIL     | MNJPL    |          |           |           |          | 50.00%                | 50.00%             |                    |                    |                    |                    |
| 230  | 582       | RGPL;GAIL;MNJPL;CGD;SPL;UFTZ1                   | 0     | Z1           | RGPL     | GAIL     | MNJPL    |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 231  | 583       | IGGL;GAIL;MNJPL;CGD;SPL;UFTZ1                   | 0     | Z1           | IGGL     | GAIL     | MNJPL    |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 232  | 584       | PIL;GAIL;MNJPL;CGD;SPL;UFTZ1                    | 0     | Z1           | PIL      | GAIL     | MNJPL    |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 233  | 585       | GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1                | 0     | Z1           | GSPL HP  | GAIL     | MNJPL    |           |           |          | 5.00%                 | 50.00%             | 45.00%             |                    |                    |                    |
| 234  | 586       | GSPL LP;GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1        | 0     | Z1           | GSPL LP  | GSPL HP  | GAIL     | MNJPL     |           |          | 5.00%                 | 5.00%              | 45.00%             | 45.00%             |                    |                    |
| 235  | 587       | KG Basin;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1           | 0     | Z1           | KG Basin | PIL      | GAIL     | MNJPL     |           |          | 10.00%                | 70.00%             | 10.00%             | 10.00%             |                    |                    |
| 236  | 588       | GIGL;GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1           | 0     | Z1           | GIGL     | GSPL HP  | GAIL     | MNJPL     |           |          | 10.00%                | 5.00%              | 45.00%             | 40.00%             |                    |                    |
| 237  | 589       | KG Basin;PIL;GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1   | 0     | Z1           | KG Basin | PIL      | GSPL HP  | GAIL      | MNJPL     |          | 15.00%                | 60.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 238  | 590       | ONGC;GAIL;MNJPL;CGD;SPL;UFTZ1                   | 0     | Z1           | ONGC     | GAIL     | MNJPL    |           |           |          | 50.00%                | 25.00%             | 25.00%             |                    |                    |                    |
| 239  | 591       | GSPL LP;GSPL HP;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1    | 0     | Z1           | GSPL LP  | GSPL HP  | PIL      | GAIL      | MNJPL     |          | 5.00%                 | 5.00%              | 70.00%             | 10.00%             | 10.00%             |                    |
| 240  | 592       | GSPL HP;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1            | 0     | Z1           | GSPL HP  | PIL      | GAIL     | MNJPL     |           |          | 5.00%                 | 75.00%             | 10.00%             | 10.00%             |                    |                    |
| 241  | 593       | GIGL;GSPL HP;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1       | 0     | Z1           | GIGL     | GSPL HP  | PIL      | GAIL      | MNJPL     |          | 10.00%                | 5.00%              | 65.00%             | 10.00%             | 10.00%             |                    |
| 242  | 594       | PIL;MNJPL;CGD;SPL;UFTZ1                         | 0     | Z1           | PIL      | MNJPL    |          |           |           |          | 90.00%                | 10.00%             |                    |                    |                    |                    |
| 243  | 595       | KG Basin;PIL;MNJPL;CGD;SPL;UFTZ1                | 0     | Z1           | KG Basin | PIL      | MNJPL    |           |           |          | 10.00%                | 80.00%             | 10.00%             |                    |                    |                    |
| 244  | 596       | RGPL;GAIL;PIL;MNJPL;CGD;SPL;UFTZ1               | 0     | Z1           | RGPL     | GAIL     | PIL      | MNJPL     |           |          | 70.00%                | 10.00%             | 10.00%             | 10.00%             |                    |                    |
| 245  | 597       | RGPL;GAIL;GSPL HP;PIL;MNJPL;CGD;SPL;UFTZ1       | 0     | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       | MNJPL     |          | 65.00%                | 10.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 246  | 598       | SAPL;CGD;SPL;UFTZ1                              | 0     | Z1           | SAPL     |          |          |           |           |          | 100.00%               |                    |                    |                    |                    |                    |
| 247  | 599       | GAIL;SAPL;CGD;SPL;UFTZ1                         | 0     | Z1           | GAIL     | SAPL     |          |           |           |          | 50.00%                | 50.00%             |                    |                    |                    |                    |
| 248  | 600       | RGPL;GAIL;SAPL;CGD;SPL;UFTZ1                    | 0     | Z1           | RGPL     | GAIL     | SAPL     |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 249  | 601       | IGGL;GAIL;SAPL;CGD;SPL;UFTZ1                    | 0     | Z1           | IGGL     | GAIL     | SAPL     |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 250  | 602       | PIL;GAIL;SAPL;CGD;SPL;UFTZ1                     | 0     | Z1           | PIL      | GAIL     | SAPL     |           |           |          | 80.00%                | 10.00%             | 10.00%             |                    |                    |                    |
| 251  | 603       | GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1                 | 0     | Z1           | GSPL HP  | GAIL     | SAPL     |           |           |          | 5.00%                 | 50.00%             | 45.00%             |                    |                    |                    |
| 252  | 604       | GSPL LP;GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1         | 0     | Z1           | GSPL LP  | GSPL HP  | GAIL     | SAPL      |           |          | 5.00%                 | 5.00%              | 45.00%             | 45.00%             |                    |                    |
| 253  | 605       | KG Basin;PIL;GAIL;SAPL;CGD;SPL;UFTZ1            | 0     | Z1           | KG Basin | PIL      | GAIL     | SAPL      |           |          | 15.00%                | 65.00%             | 10.00%             | 10.00%             |                    |                    |
| 254  | 606       | GIGL;GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1            | 0     | Z1           | GIGL     | GSPL HP  | GAIL     | SAPL      |           |          | 10.00%                | 5.00%              | 75.00%             | 10.00%             |                    |                    |
| 255  | 607       | KG Basin;PIL;GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1    | 0     | Z1           | KG Basin | PIL      | GSPL HP  | GAIL      | SAPL      |          | 15.00%                | 60.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 256  | 608       | ONGC;GAIL;SAPL;CGD;SPL;UFTZ1                    | 0     | Z1           | ONGC     | GAIL     | SAPL     |           |           |          | 25.00%                | 50.00%             | 25.00%             |                    |                    |                    |
| 257  | 609       | GSPL LP;GSPL HP;PIL;GAIL;SAPL;CGD;SPL;UFTZ1     | 0     | Z1           | GSPL LP  | GSPL HP  | PIL      | GAIL      | SAPL      |          | 5.00%                 | 5.00%              | 70.00%             | 10.00%             | 10.00%             |                    |
| 258  | 610       | GSPL HP;PIL;GAIL;SAPL;CGD;SPL;UFTZ1             | 0     | Z1           | GSPL HP  | PIL      | GAIL     | SAPL      |           |          | 5.00%                 | 75.00%             | 10.00%             | 10.00%             |                    |                    |
| 259  | 611       | GIGL;GSPL HP;PIL;GAIL;SAPL;CGD;SPL;UFTZ1        | 0     | Z1           | GIGL     | GSPL HP  | PIL      | GAIL      | SAPL      |          | 10.00%                | 5.00%              | 65.00%             | 10.00%             | 10.00%             |                    |
| 260  | 612       | RGPL;GAIL;GSPL HP;GIGL-BGPL;CGD-SPL;UFT;Z1      | 0     | Z1           | RGPL     | GAIL     | GSPL HP  | GIGL-BGPL |           |          | 75.00%                | 10.00%             | 5.00%              | 10.00%             |                    |                    |
| 261  | 613       | RGPL;GAIL;PIL;GSPL HP;GIGL-BGPL;CGD-SPL;UFT;Z1  | 0     | Z1           | RGPL     | GAIL     | PIL      | GSPL HP   | GIGL-BGPL |          | 65.00%                | 10.00%             | 10.00%             | 5.00%              | 10.00%             |                    |
| 262  | 614       | RGPL;GAIL;GSPL HP;PIL;CGD-SPL;UFT;Z1            | 0     | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       |           |          | 65.00%                | 10.00%             | 5.00%              | 20.00%             |                    |                    |
| 263  | 615       | RGPL;GAIL;GSPL HP;PIL; KG Basin;CGD-SPL; UFT;Z1 | 0     | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       | KG Basin  |          | 65.00%                | 10.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 264  | 616       | RGPL;GAIL;GSPL HP;PIL; GITL;CGD-SPL; UFT;Z1     | 0     | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       | GITL      |          | 65.00%                | 10.00%             | 5.00%              | 10.00%             | 10.00%             |                    |
| 265  | 617       | PIL;GSPL HP;GIGL;CGD-SPL; UFT;Z1                | 0     | Z1           | PIL      | GSPL HP  | GIGL     |           |           |          | 85.00%                | 5.00%              | 10.00%             |                    |                    |                    |

6.4. Based on the above-mentioned ratios, the tariff for invoicing by the pipeline entities is as under:

| in Rs. Per MMBTU |           |                             |              |          |          |          |          |          |          |                |                                        |                     |                     |                     |                     |                     |
|------------------|-----------|-----------------------------|--------------|----------|----------|----------|----------|----------|----------|----------------|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| S.N.             | Path Code | Tariff Path                 | Unified Zone | Entity   |          |          |          |          |          | Unified Tariff | Tariff invoiced by individual entities |                     |                     |                     |                     |                     |
|                  |           |                             |              | Entity 1 | Entity 2 | Entity 3 | Entity 4 | Entity 5 | Entity 6 |                | Tariff for Entity 1                    | Tariff for Entity 2 | Tariff for Entity 3 | Tariff for Entity 4 | Tariff for Entity 5 | Tariff for Entity 6 |
| 1                | 001       | GAIL;UFT;Z1                 | Z1           | GAIL     |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 2                | 002       | GAIL;UFT;Z2                 | Z2           | GAIL     |          |          |          |          |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 3                | 004       | KG Basin;UFT;Z1             | Z1           | KG Basin |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 4                | 005       | GSPL HP;UFT;Z1              | Z1           | GSPL HP  |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 5                | 006       | GSPL HP;UFT;Z2              | Z2           | GSPL HP  |          |          |          |          |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 6                | 007       | GSPL LP;UFT;Z1              | Z1           | GSPL LP  |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 7                | 008       | GIGL;UFT;Z1                 | Z1           | GIGL     |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 8                | 009       | PIL;UFT;Z1                  | Z1           | PIL      |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 9                | 010       | PIL;UFT;Z2                  | Z2           | PIL      |          |          |          |          |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 10               | 011       | GGL;UFT;Z1                  | Z1           | GGL      |          |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 11               | 013       | ONGC;GAIL;UFT;Z1            | Z1           | ONGC     | GAIL     |          |          |          |          | 54.00          | 5.40                                   | 48.60               | 0.00                | 0.00                | 0.00                | 0.00                |
| 12               | 014       | RGPL;GAIL;UFT;Z2            | Z2           | RGPL     | GAIL     |          |          |          |          | 102.86         | 92.57                                  | 10.29               | 0.00                | 0.00                | 0.00                | 0.00                |
| 13               | 017       | GSPL HP;GIGL;UFT;Z1         | Z1           | GSPL HP  | GIGL     |          |          |          |          | 54.00          | 2.70                                   | 51.30               | 0.00                | 0.00                | 0.00                | 0.00                |
| 14               | 018       | GSPL HP;GIGL;UFT;Z2         | Z2           | GSPL HP  | GIGL     |          |          |          |          | 102.86         | 5.14                                   | 97.72               | 0.00                | 0.00                | 0.00                | 0.00                |
| 15               | 022       | KG Basin;PIL;UFT;Z1         | Z1           | KG Basin | PIL      |          |          |          |          | 54.00          | 5.40                                   | 48.60               | 0.00                | 0.00                | 0.00                | 0.00                |
| 16               | 024       | GAIL;GSPL HP;UFT;Z1         | Z1           | GAIL     | GSPL HP  |          |          |          |          | 54.00          | 35.10                                  | 18.90               | 0.00                | 0.00                | 0.00                | 0.00                |
| 17               | 025       | GAIL;PIL;UFT;Z1             | Z1           | GAIL     | PIL      |          |          |          |          | 54.00          | 7.02                                   | 46.98               | 0.00                | 0.00                | 0.00                | 0.00                |
| 18               | 027       | GGL;GSPL HP;UFT;Z1          | Z1           | GGL      | GSPL HP  |          |          |          |          | 54.00          | 5.40                                   | 48.60               | 0.00                | 0.00                | 0.00                | 0.00                |
| 19               | 028       | GGL;GSPL LP;UFT;Z1          | Z1           | GGL      | GSPL LP  |          |          |          |          | 54.00          | 5.40                                   | 48.60               | 0.00                | 0.00                | 0.00                | 0.00                |
| 20               | 029       | GSPL HP;GSPL LP;UFT;Z1      | Z1           | GSPL HP  | GSPL LP  |          |          |          |          | 54.00          | 27.00                                  | 27.00               | 0.00                | 0.00                | 0.00                | 0.00                |
| 21               | 030       | GSPL HP;GSPL LP;UFT;Z2      | Z2           | GSPL HP  | GSPL LP  |          |          |          |          | 102.86         | 51.43                                  | 51.43               | 0.00                | 0.00                | 0.00                | 0.00                |
| 22               | 032       | GAIL;PIL;UFT;Z2             | Z2           | GAIL     | PIL      |          |          |          |          | 102.86         | 15.43                                  | 87.43               | 0.00                | 0.00                | 0.00                | 0.00                |
| 23               | 034       | ONGC;GAIL;UFT;Z2            | Z2           | ONGC     | GAIL     |          |          |          |          | 102.86         | 72.00                                  | 30.86               | 0.00                | 0.00                | 0.00                | 0.00                |
| 24               | 035       | GAIL;GSPL HP;UFT;Z2         | Z2           | GAIL     | GSPL HP  |          |          |          |          | 102.86         | 69.94                                  | 32.92               | 0.00                | 0.00                | 0.00                | 0.00                |
| 25               | 037       | RGPL;GAIL;IOCL;UFT;Z2       | Z2           | RGPL     | GAIL     | IOCL     |          |          |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 26               | 038       | KG Basin;PIL;UFT;Z2         | Z2           | KG Basin | PIL      |          |          |          |          | 102.86         | 10.29                                  | 92.57               | 0.00                | 0.00                | 0.00                | 0.00                |
| 27               | 040       | GAIL;IOCL;UFT;Z2            | Z2           | GAIL     | IOCL     |          |          |          |          | 102.86         | 92.57                                  | 10.29               | 0.00                | 0.00                | 0.00                | 0.00                |
| 28               | 059       | GIGL;UFT;Z2                 | Z2           | GIGL     |          |          |          |          |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 29               | 061       | GIGL;GSPL HP;PIL;UFT;Z2     | Z2           | GIGL     | GSPL HP  | PIL      |          |          |          | 102.86         | 5.14                                   | 5.14                | 92.58               | 0.00                | 0.00                | 0.00                |
| 30               | 063       | GAIL;PIL;GITL;UFT;Z2        | Z2           | GAIL     | PIL      | GITL     |          |          |          | 102.86         | 17.49                                  | 59.66               | 25.71               | 0.00                | 0.00                | 0.00                |
| 31               | 064       | KG Basin;PIL;GITL;UFT;Z1    | Z1           | KG Basin | PIL      | GITL     |          |          |          | 54.00          | 10.80                                  | 37.80               | 5.40                | 0.00                | 0.00                | 0.00                |
| 32               | 067       | PIL;GSPL HP;UFT;Z1          | Z1           | PIL      | GSPL HP  |          |          |          |          | 54.00          | 51.30                                  | 2.70                | 0.00                | 0.00                | 0.00                | 0.00                |
| 33               | 068       | PIL;GSPL HP;UFT;Z2          | Z2           | PIL      | GSPL HP  |          |          |          |          | 102.86         | 98.74                                  | 4.12                | 0.00                | 0.00                | 0.00                | 0.00                |
| 34               | 070       | PIL;GSPL HP;GSPL LP;UFT;Z1  | Z1           | PIL      | GSPL HP  | GSPL LP  |          |          |          | 54.00          | 48.60                                  | 2.70                | 2.70                | 0.00                | 0.00                | 0.00                |
| 35               | 071       | PIL;GSPL HP;GSPL LP;UFT;Z2  | Z2           | PIL      | GSPL HP  | GSPL LP  |          |          |          | 102.86         | 93.60                                  | 4.63                | 4.63                | 0.00                | 0.00                | 0.00                |
| 36               | 072       | PIL;GAIL;GSPL HP;UFT;Z1     | Z1           | PIL      | GAIL     | GSPL HP  |          |          |          | 54.00          | 40.50                                  | 10.80               | 2.70                | 0.00                | 0.00                | 0.00                |
| 37               | 073       | PIL;GAIL;GSPL HP;UFT;Z2     | Z2           | PIL      | GAIL     | GSPL HP  |          |          |          | 102.86         | 77.15                                  | 20.57               | 5.14                | 0.00                | 0.00                | 0.00                |
| 38               | 075       | PIL;GITL;UFT;Z1             | Z1           | PIL      | GITL     |          |          |          |          | 54.00          | 48.60                                  | 5.40                | 0.00                | 0.00                | 0.00                | 0.00                |
| 39               | 076       | PIL;GITL;UFT;Z2             | Z2           | PIL      | GITL     |          |          |          |          | 102.86         | 92.57                                  | 10.29               | 0.00                | 0.00                | 0.00                | 0.00                |
| 40               | 080       | KG Basin;PIL;GITL;UFT;Z2    | Z2           | KG Basin | PIL      | GITL     |          |          |          | 102.86         | 20.57                                  | 72.00               | 10.29               | 0.00                | 0.00                | 0.00                |
| 41               | 081       | GIGL;GSPL HP;GAIL;UFT;Z2    | Z2           | GIGL     | GSPL HP  | GAIL     |          |          |          | 102.86         | 5.14                                   | 5.14                | 92.58               | 0.00                | 0.00                | 0.00                |
| 42               | 100       | KG Basin;PIL;GAIL;UFT;Z2    | Z2           | KG Basin | PIL      | GAIL     |          |          |          | 102.86         | 10.29                                  | 82.28               | 10.29               | 0.00                | 0.00                | 0.00                |
| 43               | 104       | GAIL;GSPL HP;GGL;UFT;Z1     | Z1           | GAIL     | GSPL HP  | GGL      |          |          |          | 54.00          | 48.60                                  | 2.70                | 2.70                | 0.00                | 0.00                | 0.00                |
| 44               | 105       | GAIL;GSPL HP;GGL;UFT;Z2     | Z2           | GAIL     | GSPL HP  | GGL      |          |          |          | 102.86         | 92.58                                  | 5.14                | 5.14                | 0.00                | 0.00                | 0.00                |
| 45               | 106       | GAIL;GSPL HP;GSPL LP;UFT;Z1 | Z1           | GAIL     | GSPL HP  | GSPL LP  |          |          |          | 54.00          | 49.68                                  | 2.16                | 2.16                | 0.00                | 0.00                | 0.00                |

|      |           |                                         |              |          |           |            |          |          |          |                | in Rs. Per MMBTU                       |                     |                     |                     |                     |                     |
|------|-----------|-----------------------------------------|--------------|----------|-----------|------------|----------|----------|----------|----------------|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| S.N. | Path Code | Tariff Path                             | Unified Zone | Entity   |           |            |          |          |          | Unified Tariff | Tariff invoiced by individual entities |                     |                     |                     |                     |                     |
|      |           |                                         |              | Entity 1 | Entity 2  | Entity 3   | Entity 4 | Entity 5 | Entity 6 |                | Tariff for Entity 1                    | Tariff for Entity 2 | Tariff for Entity 3 | Tariff for Entity 4 | Tariff for Entity 5 | Tariff for Entity 6 |
| 46   | 107       | GAIL;GSPL HP;GSPL LP;UFT;Z2             | Z2           | GAIL     | GSPL HP   | GSPL LP    |          |          |          | 102.86         | 92.58                                  | 5.14                | 5.14                | 0.00                | 0.00                | 0.00                |
| 47   | 108       | GIGL;GSPL HP;GSPL LP;UFT;Z2             | Z2           | GIGL     | GSPL HP   | GSPL LP    |          |          |          | 102.86         | 92.58                                  | 5.14                | 5.14                | 0.00                | 0.00                | 0.00                |
| 48   | 114       | GIGL;GSPL HP;PIL;GAIL;UFT;Z2            | Z2           | GIGL     | GSPL HP   | PIL        | GAIL     |          |          | 102.86         | 5.14                                   | 5.14                | 63.78               | 28.80               | 0.00                | 0.00                |
| 49   | 117       | GIGL; IOCL;UFT; Z2                      | Z2           | GIGL     | IOCL      |            |          |          |          | 102.86         | 90.52                                  | 12.34               | 0.00                | 0.00                | 0.00                | 0.00                |
| 50   | 121       | GIGL; IOCL; GAIL;UFT;Z2                 | Z2           | GIGL     | IOCL      | GAIL       |          |          |          | 102.86         | 10.29                                  | 10.29               | 82.28               | 0.00                | 0.00                | 0.00                |
| 51   | 127       | RGPL ;UFT ;Z1                           | Z1           | RGPL     |           |            |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 52   | 130       | IGGL Z1                                 | Z1           | IGGL     |           |            |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 53   | 131       | IGGL Z2                                 | Z2           | IGGL     |           |            |          |          |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 54   | 132       | IGGL-GAIL Z1                            | Z1           | IGGL     | GAIL      |            |          |          |          | 54.00          | 43.20                                  | 10.80               | 0.00                | 0.00                | 0.00                | 0.00                |
| 55   | 133       | IGGL-GAIL Z2                            | Z2           | IGGL     | GAIL      |            |          |          |          | 102.86         | 72.00                                  | 30.86               | 0.00                | 0.00                | 0.00                | 0.00                |
| 56   | 135       | IGGL-GAIL-PIL-GSPL HP-GIGL -IOCL Z2     | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  | GIGL     | IOCL     | 102.86         | 36.00                                  | 20.57               | 20.57               | 5.14                | 10.29               | 10.29               |
| 57   | 137       | IGGL-GAIL-GIGL BGPL Z2                  | Z2           | IGGL     | GAIL      | GIGL -BGPL |          |          |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 58   | 139       | RGPL-GAIL -IGGL Z2                      | Z2           | RGPL     | GAIL      | IGGL       |          |          |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 59   | 141       | IGGL-GAIL -GSPL HP-PIL-GITL Z2          | Z2           | IGGL     | GAIL      | GSPL HP    | PIL      | GITL     |          | 102.86         | 66.85                                  | 10.29               | 5.14                | 10.29               | 10.29               | 0.00                |
| 60   | 143       | GSPL LP-GSPL HP-PIL-GITL Z2             | Z2           | GSPL LP  | GSPL HP   | PIL        | GITL     |          |          | 102.86         | 5.14                                   | 5.14                | 82.29               | 10.29               | 0.00                | 0.00                |
| 61   | 145       | KG Basin-PIL-GSPL HP-GAIL -GIGL BGPL Z2 | Z2           | KG Basin | PIL       | GSPL HP    |          |          |          | 102.86         | 51.43                                  | 46.29               | 5.14                | 0.00                | 0.00                | 0.00                |
| 62   | 147       | IGGL-GAIL-PIL Z2                        | Z2           | IGGL     | GAIL      | PIL        |          |          |          | 102.86         | 66.86                                  | 10.29               | 25.71               | 0.00                | 0.00                | 0.00                |
| 63   | 149       | IGGL-GAIL-PIL-KG Basin Z2               | Z2           | IGGL     | GAIL      | PIL        | KG Basin |          |          | 102.86         | 61.71                                  | 10.29               | 20.57               | 10.29               | 0.00                | 0.00                |
| 64   | 151       | IGGL-GAIL-IOCL Z2                       | Z2           | IGGL     | GAIL      | IOCL       |          |          |          | 102.86         | 72.00                                  | 20.57               | 10.29               | 0.00                | 0.00                | 0.00                |
| 65   | 153       | IGGL-GAIL -PIL-GITL Z2                  | Z2           | IGGL     | GAIL      | PIL        | GITL     |          |          | 102.86         | 10.29                                  | 61.71               | 20.57               | 10.29               | 0.00                | 0.00                |
| 66   | 155       | IGGL-GAIL-GSPL HP- PIL-KG Basin Z2      | Z2           | IGGL     | GAIL      | GSPL HP    | PIL      | KG Basin |          | 102.86         | 56.57                                  | 20.57               | 5.14                | 10.29               | 10.29               | 0.00                |
| 67   | 157       | IGGL-GAIL-ONGC Z2                       | Z2           | IGGL     | GAIL      | ONGC       |          |          |          | 102.86         | 72.00                                  | 20.57               | 10.29               | 0.00                | 0.00                | 0.00                |
| 68   | 159       | IGGL-GAIL -GSPL HP-GGL Z2               | Z2           | IGGL     | GAIL      | GSPL HP    | GGL      |          |          | 102.86         | 72.00                                  | 20.58               | 5.14                | 5.14                | 0.00                | 0.00                |
| 69   | 161       | IGGL -GAIL- IOCL- GIGL Z2               | Z2           | IGGL     | GAIL      | IOCL       | GIGL     |          |          | 102.86         | 61.71                                  | 20.57               | 10.29               | 10.29               | 0.00                | 0.00                |
| 70   | 163       | IGGL-GAIL-GSPL HP Z2                    | Z2           | IGGL     | GAIL      | GSPL HP    |          |          |          | 102.86         | 72.00                                  | 25.72               | 5.14                | 0.00                | 0.00                | 0.00                |
| 71   | 165       | IGGL-GAIL -GSPL HP-GSPL LP Z2           | Z2           | IGGL     | GAIL      | GSPL HP    | GSPL LP  |          |          | 102.86         | 72.00                                  | 20.58               | 5.14                | 5.14                | 0.00                | 0.00                |
| 72   | 167       | IGGL-GAIL-PIL-GSPL HP-GSPL LP Z2        | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  | GSPL LP  |          | 102.86         | 66.86                                  | 10.29               | 15.43               | 5.14                | 5.14                | 0.00                |
| 73   | 169       | IGGL-GAIL-GSPL HP-GIGL Z2               | Z2           | IGGL     | GAIL      | GSPL HP    | GIGL     |          |          | 102.86         | 61.71                                  | 30.87               | 5.14                | 5.14                | 0.00                | 0.00                |
| 74   | 171       | IGGL-GAIL -GSPL HP-GIGL-IOCL Z2         | Z2           | IGGL     | GAIL      | GSPL HP    | GIGL     |          |          | 102.86         | 66.86                                  | 20.57               | 5.14                | 10.29               | 0.00                | 0.00                |
| 75   | 173       | IGGL-GAIL -PIL-GSPL HP Z2               | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  |          |          | 102.86         | 72.00                                  | 10.29               | 15.43               | 5.14                | 0.00                | 0.00                |
| 76   | 175       | IGGL-GAIL-PIL-GSPL HP-GIGL Z2           | Z2           | IGGL     | GAIL      | PIL        | GSPL HP  | GIGL     |          | 102.86         | 66.85                                  | 10.29               | 10.29               | 5.14                | 10.29               | 0.00                |
| 77   | 177       | GAIL;GIGL-BGPL;UFT;Z2                   | Z2           | GAIL     | GIGL-BGPL |            |          |          |          | 102.86         | 92.57                                  | 10.29               | 0.00                | 0.00                | 0.00                | 0.00                |
| 78   | 178       | KG Basin;PIL;GSPL HP;GSPL LP;UFT;Z2     | Z2           | KG Basin | PIL       | GSPL HP    | GSPL LP  |          |          | 102.86         | 51.44                                  | 41.14               | 5.14                | 5.14                | 0.00                | 0.00                |
| 79   | 179       | PIL;GAIL;IOCL;UFT;Z2                    | Z2           | PIL      | GAIL      | IOCL       |          |          |          | 102.86         | 56.57                                  | 36.00               | 10.29               | 0.00                | 0.00                | 0.00                |
| 80   | 180       | RGPL;GAIL;GSPL HP;UFT;Z2                | Z2           | RGPL     | GAIL      | GSPL HP    |          |          |          | 102.86         | 82.28                                  | 15.44               | 5.14                | 0.00                | 0.00                | 0.00                |
| 81   | 181       | KG Basin;PIL;GSPL HP;UFT;Z2             | Z2           | KG Basin | PIL       | GSPL HP    |          |          |          | 102.86         | 25.72                                  | 72.00               | 5.14                | 0.00                | 0.00                | 0.00                |
| 82   | 182       | RGPL;GAIL;PIL;UFT;Z2                    | Z2           | RGPL     | GAIL      | PIL        |          |          |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 83   | 183       | RGPL;GAIL;GSPL HP;GSPL LP;UFT;Z2        | Z2           | RGPL     | GAIL      | GSPL HP    | GSPL LP  |          |          | 102.86         | 82.28                                  | 10.30               | 5.14                | 5.14                | 0.00                | 0.00                |
| 84   | 184       | RGPL;GAIL;PIL;KG Basin;UFT;Z2           | Z2           | RGPL     | GAIL      | PIL        | KG Basin |          |          | 102.86         | 71.99                                  | 10.29               | 10.29               | 10.29               | 0.00                | 0.00                |
| 85   | 185       | RGPL;GAIL;PIL;GITL;UFT;Z2               | Z2           | RGPL     | GAIL      | PIL        | GITL     |          |          | 102.86         | 71.99                                  | 10.29               | 10.29               | 10.29               | 0.00                | 0.00                |
| 86   | 186       | RGPL;GAIL;GSPL HP;GIGL;UFT;Z2           | Z2           | RGPL     | GAIL      | GSPL HP    | GIGL     |          |          | 102.86         | 77.14                                  | 10.29               | 5.14                | 10.29               | 0.00                | 0.00                |
| 87   | 187       | RGPL;GAIL;PIL;GSPL HP;UFT;Z2            | Z2           | RGPL     | GAIL      | PIL        | GSPL HP  |          |          | 102.86         | 66.86                                  | 10.29               | 20.57               | 5.14                | 0.00                | 0.00                |
| 88   | 188       | RGPL;GAIL;PIL;GSPL HP;GSPL LP;UFT;Z2    | Z2           | RGPL     | GAIL      | PIL        | GSPL HP  | GSPL LP  |          | 102.86         | 51.43                                  | 10.29               | 30.86               | 5.14                | 5.14                | 0.00                |
| 89   | 189       | RGPL;GAIL;PIL;GSPL HP;GIGL;UFT;Z2       | Z2           | RGPL     | GAIL      | PIL        | GSPL HP  | GIGL     |          | 102.86         | 61.71                                  | 10.29               | 15.43               | 5.14                | 10.29               | 0.00                |
| 90   | 190       | KG Basin;PIL;GAIL;IOCL;UFT;Z2           | Z2           | KG Basin | PIL       | GAIL       | IOCL     |          |          | 102.86         | 15.43                                  | 46.28               | 30.86               | 10.29               | 0.00                | 0.00                |

|      |           |                                                 |              |          |          |           |           |           |          |                | in Rs. Per MMBTU                       |                     |                     |                     |                     |                     |
|------|-----------|-------------------------------------------------|--------------|----------|----------|-----------|-----------|-----------|----------|----------------|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| S.N. | Path Code | Tariff Path                                     | Unified Zone | Entity   |          |           |           |           |          | Unified Tariff | Tariff invoiced by individual entities |                     |                     |                     |                     |                     |
|      |           |                                                 |              | Entity 1 | Entity 2 | Entity 3  | Entity 4  | Entity 5  | Entity 6 |                | Tariff for Entity 1                    | Tariff for Entity 2 | Tariff for Entity 3 | Tariff for Entity 4 | Tariff for Entity 5 | Tariff for Entity 6 |
| 91   | 191       | KG Basin;PIL;GSPL HP;GIGL;UFT;Z2                | Z2           | KG Basin | PIL      | GSPL HP   | GIGL      |           |          | 102.86         | 30.86                                  | 56.57               | 5.14                | 10.29               | 0.00                | 0.00                |
| 92   | 192       | PIL;GAIL;GIGL-BGPL;UFT;Z2                       | Z2           | PIL      | GAIL     | GIGL-BGPL |           |           |          | 102.86         | 77.14                                  | 10.29               | 15.43               | 0.00                | 0.00                | 0.00                |
| 93   | 193       | KG Basin;PIL;GAIL;GSPL HP;UFT;Z2                | Z2           | KG Basin | PIL      | GAIL      | GSPL HP   |           |          | 102.86         | 10.29                                  | 72.00               | 15.43               | 5.14                | 0.00                | 0.00                |
| 94   | 194       | GSPL HP;PIL;GITL;UFT;Z2                         | Z2           | GSPL HP  | PIL      | GITL      |           |           |          | 102.86         | 5.14                                   | 87.43               | 10.29               | 0.00                | 0.00                | 0.00                |
| 95   | 195       | GSPL HP;GAIL;PIL;GITL;UFT;Z2                    | Z2           | GSPL HP  | GAIL     | PIL       | GITL      |           |          | 102.86         | 5.14                                   | 46.29               | 41.14               | 10.29               | 0.00                | 0.00                |
| 96   | 196       | KG Basin;PIL;GAIL;GSPL HP;GSPL LP;UFT;Z2        | Z2           | KG Basin | PIL      | GAIL      | GSPL HP   | GSPL LP   |          | 102.86         | 46.29                                  | 30.86               | 15.43               | 5.14                | 5.14                | 0.00                |
| 97   | 197       | PIL;GAIL;GSPL HP;GSPL LP;UFT;Z2                 | Z2           | PIL      | GAIL     | GSPL HP   | GSPL LP   |           |          | 102.86         | 82.28                                  | 10.30               | 5.14                | 5.14                | 0.00                | 0.00                |
| 98   | 198       | KG Basin; PIL; GSPL HP; GIGL; IOCL; UFT;Z2      | Z2           | KG Basin | PIL      | GSPL HP   | GIGL      | IOCL      |          | 102.86         | 46.28                                  | 30.86               | 5.14                | 10.29               | 10.29               | 0.00                |
| 99   | 199       | PIL; GSPL HP; GIGL; IOCL;UFT Z2                 | Z2           | PIL      | GSPL HP  | GIGL      | IOCL      |           |          | 102.86         | 77.14                                  | 5.14                | 5.14                | 15.44               | 0.00                | 0.00                |
| 100  | 200       | GSPL HP; GIGL; IOCL;UFT;Z2                      | Z2           | GSPL HP  | GIGL     | IOCL      |           |           |          | 102.86         | 5.14                                   | 77.15               | 20.57               | 0.00                | 0.00                | 0.00                |
| 101  | 201       | GAIL; GSPL HP; GIGL; IOCL;UFT;Z2                | Z2           | GAIL     | GSPL HP  | GIGL      | IOCL      |           |          | 102.86         | 82.29                                  | 5.14                | 5.14                | 10.29               | 0.00                | 0.00                |
| 102  | 202       | PIL; GAIL; GSPL HP; GIGL; IOCL;UFT;Z2           | Z2           | PIL      | GAIL     | GSPL HP   | GIGL      | IOCL      |          | 102.86         | 61.71                                  | 15.43               | 5.14                | 10.29               | 10.29               | 0.00                |
| 103  | 203       | GSPL LP; GSPL HP; GIGL; IOCL;UFT;Z2             | Z2           | GSPL LP  | GSPL HP  | GIGL      | IOCL      |           |          | 102.86         | 5.14                                   | 5.14                | 82.29               | 10.29               | 0.00                | 0.00                |
| 104  | 204       | KG Basin; PIL; GAIL; GSPL HP; GIGL; IOCL;UFT;Z2 | Z2           | KG BASIN | PIL      | GAIL      | GSPL HP   | GIGL      | IOCL     | 102.86         | 41.14                                  | 25.71               | 10.29               | 5.14                | 10.29               | 10.29               |
| 105  | 205       | RGPL; GAIL; GIGL-BGPL Z2                        | Z2           | RGPL     | GAIL     | GIGL-BGPL |           |           |          | 102.86         | 66.86                                  | 15.43               | 20.57               | 0.00                | 0.00                | 0.00                |
| 106  | 206       | KG Basin; PIL;GAIL; GIGL-BGPL; UFT ;Z2          | Z2           | KG BASIN | PIL      | GAIL      | GIGL-BGPL |           |          | 102.86         | 41.14                                  | 30.86               | 20.57               | 10.29               | 0.00                | 0.00                |
| 107  | 208       | RGPL;GAIL;GSPL HP;GIGL-BGPL;UFT;Z2              | Z2           | RGPL     | GAIL     | GSPL HP   | GIGL-BGPL |           |          | 102.86         | 77.14                                  | 10.29               | 5.14                | 10.29               | 0.00                | 0.00                |
| 108  | 209       | RGPL;GAIL;PIL;GSPL HP;GIGL;BGPL;UFT;Z2          | Z2           | RGPL     | GAIL     | PIL       | GSPL HP   | GIGL-BGPL |          | 102.86         | 51.43                                  | 10.29               | 25.71               | 10.29               | 5.14                | 0.00                |
| 109  | 210       | RGPL;GAIL;GSPL HP;PIL;UFT;Z2                    | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       |           |          | 102.86         | 51.43                                  | 10.29               | 5.14                | 36.00               | 0.00                | 0.00                |
| 110  | 211       | RGPL;GAIL;GSPL HP;PIL; KG Basin;UFT;Z2          | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       | KG Basin  |          | 102.86         | 51.43                                  | 10.29               | 5.14                | 25.71               | 10.29               | 0.00                |
| 111  | 212       | RGPL;GAIL;GSPL HP;PIL; GITL;UFT;Z2              | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       | GITL      |          | 102.86         | 51.43                                  | 10.29               | 5.14                | 25.71               | 10.29               | 0.00                |
| 112  | 213       | MNJPL Z1                                        | Z1           | MNJPL    |          |           |           |           |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 113  | 214       | MNJPL Z2                                        | Z2           | MNJPL    |          |           |           |           |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 114  | 215       | GAIL - MNJPL Z1                                 | Z1           | GAIL     | MNJPL    |           |           |           |          | 54.00          | 27.00                                  | 27.00               | 0.00                | 0.00                | 0.00                | 0.00                |
| 115  | 216       | GAIL - MNJPL Z2                                 | Z2           | GAIL     | MNJPL    |           |           |           |          | 102.86         | 51.43                                  | 51.43               | 0.00                | 0.00                | 0.00                | 0.00                |
| 116  | 217       | RGPL-GAIL -MNJPL Z2                             | Z2           | RGPL     | GAIL     | MNJPL     |           |           |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 117  | 218       | IGGL-GAIL -MNJPL Z2                             | Z2           | IGGL     | GAIL     | MNJPL     |           |           |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 118  | 219       | PIL-GAIL -MNJPL Z2                              | Z2           | PIL      | GAIL     | MNJPL     |           |           |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 119  | 220       | GSPL HP-GAIL -MNJPL Z2                          | Z2           | GSPL HP  | GAIL     | MNJPL     |           |           |          | 102.86         | 5.14                                   | 87.43               | 10.29               | 0.00                | 0.00                | 0.00                |
| 120  | 221       | GSPL LP-GSPL HP-GAIL -MNJPL Z2                  | Z2           | GSPL LP  | GSPL HP  | GAIL      | MNJPL     |           |          | 102.86         | 5.14                                   | 5.14                | 82.28               | 10.30               | 0.00                | 0.00                |
| 121  | 222       | KG Basin-PIL-GAIL -MNJPL Z2                     | Z2           | KG Basin | PIL      | GAIL      | MNJPL     |           |          | 102.86         | 10.29                                  | 71.99               | 10.29               | 10.29               | 0.00                | 0.00                |
| 122  | 223       | GIGL-GSPL HP-GAIL -MNJPL Z2                     | Z2           | GIGL     | GSPL HP  | GAIL      | MNJPL     |           |          | 102.86         | 20.57                                  | 5.14                | 66.86               | 10.29               | 0.00                | 0.00                |
| 123  | 224       | KG Basin-PIL-GSPL HP - GAIL -MNJPL Z2           | Z2           | KG Basin | PIL      | GSPL HP   | GAIL      | MNJPL     |          | 102.86         | 10.29                                  | 66.85               | 5.14                | 10.29               | 10.29               | 0.00                |
| 124  | 225       | ONGC - GAIL - MNJPL Z2                          | Z2           | ONGC     | GAIL     | MNJPL     |           |           |          | 102.86         | 51.43                                  | 41.14               | 10.29               | 0.00                | 0.00                | 0.00                |
| 125  | 226       | GSPL LP-GSPL HP-PIL-GAIL -MNJPL Z2              | Z2           | GSPL LP  | GSPL HP  | PIL       | GAIL      | MNJPL     |          | 102.86         | 5.14                                   | 5.14                | 72.00               | 10.29               | 10.29               | 0.00                |
| 126  | 227       | GSPL HP-PIL-GAIL -MNJPL Z2                      | Z2           | GSPL HP  | PIL      | GAIL      | MNJPL     |           |          | 102.86         | 10.29                                  | 61.71               | 20.57               | 10.29               | 0.00                | 0.00                |
| 127  | 228       | GIGL-GSPL HP-PIL-GAIL -MNJPL Z2                 | Z2           | GIGL     | GSPL HP  | PIL       | GAIL      | MNJPL     |          | 102.86         | 10.29                                  | 5.14                | 66.85               | 10.29               | 10.29               | 0.00                |
| 128  | 229       | PIL-MNJPL Z2                                    | Z2           | PIL      | MNJPL    |           |           |           |          | 102.86         | 92.57                                  | 10.29               | 0.00                | 0.00                | 0.00                | 0.00                |
| 129  | 230       | KG Basin-PIL-MNJPL Z2                           | Z2           | KG Basin | PIL      | MNJPL     |           |           |          | 102.86         | 10.29                                  | 82.28               | 10.29               | 0.00                | 0.00                | 0.00                |
| 130  | 231       | RGPL-GAIL-PIL-MNJPL Z2                          | Z2           | RGPL     | GAIL     | PIL       | MNJPL     |           |          | 102.86         | 71.99                                  | 10.29               | 10.29               | 10.29               | 0.00                | 0.00                |
| 131  | 232       | RGPL-GAIL-GSPLHP-PIL-MNJPL Z2                   | Z2           | RGPL     | GAIL     | GSPL HP   | PIL       | MNJPL     |          | 102.86         | 61.71                                  | 10.29               | 5.14                | 15.43               | 10.29               | 0.00                |
| 132  | 233       | SAPL Z1                                         | Z1           | SAPL     |          |           |           |           |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 133  | 234       | SAPL Z2                                         | Z2           | SAPL     |          |           |           |           |          | 102.86         | 102.86                                 | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 134  | 235       | GAIL - SAPL Z2                                  | Z2           | GAIL     | SAPL     |           |           |           |          | 102.86         | 51.43                                  | 51.43               | 0.00                | 0.00                | 0.00                | 0.00                |
| 135  | 236       | RGPL-GAIL -SAPL Z2                              | Z2           | RGPL     | GAIL     | SAPL      |           |           |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |

|      |           |                                            |              |          |           |          |          |          |          |                | in Rs. Per MMBTU                       |                     |                     |                     |                     |                     |
|------|-----------|--------------------------------------------|--------------|----------|-----------|----------|----------|----------|----------|----------------|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| S.N. | Path Code | Tariff Path                                | Unified Zone | Entity   |           |          |          |          |          | Unified Tariff | Tariff invoiced by individual entities |                     |                     |                     |                     |                     |
|      |           |                                            |              | Entity 1 | Entity 2  | Entity 3 | Entity 4 | Entity 5 | Entity 6 |                | Tariff for Entity 1                    | Tariff for Entity 2 | Tariff for Entity 3 | Tariff for Entity 4 | Tariff for Entity 5 | Tariff for Entity 6 |
| 136  | 237       | IGGL-GAIL -SAPL Z2                         | Z2           | IGGL     | GAIL      | SAPL     |          |          |          | 102.86         | 92.58                                  | 5.14                | 5.14                | 0.00                | 0.00                | 0.00                |
| 137  | 238       | PIL-GAIL -SAPL Z2                          | Z2           | PIL      | GAIL      | SAPL     |          |          |          | 102.86         | 82.28                                  | 10.29               | 10.29               | 0.00                | 0.00                | 0.00                |
| 138  | 239       | GSPL HP-GAIL -SAPL Z2                      | Z2           | GSPL HP  | GAIL      | SAPL     |          |          |          | 102.86         | 5.14                                   | 46.29               | 51.43               | 0.00                | 0.00                | 0.00                |
| 139  | 240       | GSPL LP-GSPL HP-GAIL -SAPL Z2              | Z2           | GSPL LP  | GSPL HP   | GAIL     | SAPL     |          |          | 102.86         | 5.14                                   | 5.14                | 46.29               | 46.29               | 0.00                | 0.00                |
| 140  | 241       | KG Basin-PIL-GAIL -SAPL Z2                 | Z2           | KG Basin | PIL       | GAIL     | SAPL     |          |          | 102.86         | 10.29                                  | 71.99               | 10.29               | 10.29               | 0.00                | 0.00                |
| 141  | 242       | GIGL-GSPL HP-GAIL -SAPL Z2                 | Z2           | GIGL     | GSPL HP   | GAIL     | SAPL     |          |          | 102.86         | 30.86                                  | 5.14                | 36.00               | 30.86               | 0.00                | 0.00                |
| 142  | 243       | KG Basin-PIL-GSPL HP-GAIL -SAPL Z2         | Z2           | KG Basin | PIL       | GSPL HP  | GAIL     | SAPL     |          | 102.86         | 10.29                                  | 66.85               | 5.14                | 10.29               | 10.29               | 0.00                |
| 143  | 244       | ONGC - GAIL - SAPL Z2                      | Z2           | ONGC     | GAIL      | SAPL     |          |          |          | 102.86         | 51.44                                  | 25.71               | 25.71               | 0.00                | 0.00                | 0.00                |
| 144  | 245       | GSPL LP-GSPL HP-PIL-GAIL -SAPL Z2          | Z2           | GSPL LP  | GSPL HP   | PIL      | GAIL     | SAPL     |          | 102.86         | 5.14                                   | 5.14                | 72.00               | 10.29               | 10.29               | 0.00                |
| 145  | 246       | GSPL HP-PIL-GAIL -SAPL Z2                  | Z2           | GSPL HP  | PIL       | GAIL     | SAPL     |          |          | 102.86         | 5.14                                   | 77.14               | 10.29               | 10.29               | 0.00                | 0.00                |
| 146  | 247       | GIGL-GSPL HP-PIL-GAIL -SAPL Z2             | Z2           | GIGL     | GSPL HP   | PIL      | GAIL     | SAPL     |          | 102.86         | 10.29                                  | 5.14                | 61.71               | 15.43               | 10.29               | 0.00                |
| 147  | 248       | GAIL - SAPL Z1                             | Z1           | GAIL     | SAPL      | 0        | 0        | 0        |          | 54.00          | 27.00                                  | 27.00               | 0.00                | 0.00                | 0.00                | 0.00                |
| 148  | 500       | GAIL;CGD-SPL-UFTZ1                         | Z1           | GAIL     |           |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 149  | 501       | GSPL HP;CGD-SPL-UFTZ1                      | Z1           | GSPL HP  |           |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 150  | 502       | PIL;CGD-SPL-UFTZ1                          | Z1           | PIL      |           |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 151  | 503       | RGPL;GAIL;CGD-SPL-UFTZ1                    | Z1           | RGPL     | GAIL      |          |          |          |          | 54.00          | 48.60                                  | 5.40                | 0.00                | 0.00                | 0.00                | 0.00                |
| 152  | 504       | GSPL HP;GIGL;CGD-SPL-UFTZ1                 | Z1           | GSPL HP  | GIGL      |          |          |          |          | 54.00          | 2.70                                   | 51.30               | 0.00                | 0.00                | 0.00                | 0.00                |
| 153  | 505       | GSPL HP;GSPL LP;CGD-SPL-UFTZ1              | Z1           | GSPL HP  | GSPL LP   |          |          |          |          | 54.00          | 27.00                                  | 27.00               | 0.00                | 0.00                | 0.00                | 0.00                |
| 154  | 506       | GAIL;PIL;CGD-SPL-UFTZ1                     | Z1           | GAIL     | PIL       |          |          |          |          | 54.00          | 5.40                                   | 48.60               | 0.00                | 0.00                | 0.00                | 0.00                |
| 155  | 507       | ONGC;GAIL;CGD-SPL-UFTZ1                    | Z1           | ONGC     | GAIL      |          |          |          |          | 54.00          | 16.20                                  | 37.80               | 0.00                | 0.00                | 0.00                | 0.00                |
| 156  | 508       | GAIL;GSPL HP;CGD-SPL-UFTZ1                 | Z1           | GAIL     | GSPL HP   |          |          |          |          | 54.00          | 51.30                                  | 2.70                | 0.00                | 0.00                | 0.00                | 0.00                |
| 157  | 509       | RGPL;GAIL;IOCL;CGD-SPL-UFTZ1               | Z1           | RGPL     | GAIL      | IOCL     |          |          |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 158  | 510       | KG Basin;PIL;CGD-SPL-UFTZ1                 | Z1           | KG Basin | PIL       |          |          |          |          | 54.00          | 5.40                                   | 48.60               | 0.00                | 0.00                | 0.00                | 0.00                |
| 159  | 511       | GAIL;IOCL;CGD-SPL-UFTZ1                    | Z1           | GAIL     | IOCL      |          |          |          |          | 54.00          | 48.60                                  | 5.40                | 0.00                | 0.00                | 0.00                | 0.00                |
| 160  | 512       | GIGL;CGD-SPL-UFTZ1                         | Z1           | GIGL     |           |          |          |          |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 161  | 513       | GIGL;GSPL HP;PIL;CGD-SPL-UFTZ1             | Z1           | GIGL     | GSPL HP   | PIL      |          |          |          | 54.00          | 5.40                                   | 2.70                | 45.90               | 0.00                | 0.00                | 0.00                |
| 162  | 514       | GAIL;PIL;GITL;CGD-SPL-UFTZ1                | Z1           | GAIL     | PIL       | GITL     |          |          |          | 54.00          | 5.40                                   | 43.20               | 5.40                | 0.00                | 0.00                | 0.00                |
| 163  | 515       | PIL;GSPL HP;CGD-SPL-UFTZ1                  | Z1           | PIL      | GSPL HP   |          |          |          |          | 54.00          | 51.30                                  | 2.70                | 0.00                | 0.00                | 0.00                | 0.00                |
| 164  | 516       | PIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1          | Z1           | PIL      | GSPL HP   | GSPL LP  |          |          |          | 54.00          | 45.90                                  | 5.40                | 2.70                | 0.00                | 0.00                | 0.00                |
| 165  | 517       | PIL;GAIL;GSPL HP;CGD-SPL-UFTZ1             | Z1           | PIL      | GAIL      | GSPL HP  |          |          |          | 54.00          | 45.90                                  | 5.40                | 2.70                | 0.00                | 0.00                | 0.00                |
| 166  | 518       | PIL;GITL;CGD-SPL-UFTZ1                     | Z1           | PIL      | GITL      |          |          |          |          | 54.00          | 48.60                                  | 5.40                | 0.00                | 0.00                | 0.00                | 0.00                |
| 167  | 519       | KG Basin;PIL;GITL;CGD-SPL-UFTZ1            | Z1           | KG Basin | PIL       | GITL     |          |          |          | 54.00          | 5.40                                   | 43.20               | 5.40                | 0.00                | 0.00                | 0.00                |
| 168  | 520       | GIGL;GSPL HP;GAIL;CGD-SPL-UFTZ1            | Z1           | GIGL     | GSPL HP   | GAIL     |          |          |          | 54.00          | 5.40                                   | 2.70                | 45.90               | 0.00                | 0.00                | 0.00                |
| 169  | 521       | KG Basin;PIL;GAIL;CGD-SPL-UFTZ1            | Z1           | KG Basin | PIL       | GAIL     |          |          |          | 54.00          | 5.40                                   | 40.50               | 8.10                | 0.00                | 0.00                | 0.00                |
| 170  | 522       | GAIL;GSPL HP;GGL;CGD-SPL-UFTZ1             | Z1           | GAIL     | GSPL HP   | GGL      |          |          |          | 54.00          | 48.60                                  | 2.70                | 2.70                | 0.00                | 0.00                | 0.00                |
| 171  | 523       | GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1         | Z1           | GAIL     | GSPL HP   | GSPL LP  |          |          |          | 54.00          | 48.60                                  | 2.70                | 2.70                | 0.00                | 0.00                | 0.00                |
| 172  | 524       | GIGL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1         | Z1           | GIGL     | GSPL HP   | GSPL LP  |          |          |          | 54.00          | 48.60                                  | 2.70                | 2.70                | 0.00                | 0.00                | 0.00                |
| 173  | 525       | GIGL;GSPL HP;PIL;GAIL;CGD-SPL-UFTZ1        | Z1           | GIGL     | GSPL HP   | PIL      | GAIL     |          |          | 54.00          | 8.10                                   | 2.70                | 21.60               | 21.60               | 0.00                | 0.00                |
| 174  | 526       | GIGL; IOCL; CGD-SPL-UFTZ1                  | Z1           | GIGL     | IOCL      |          |          |          |          | 54.00          | 48.60                                  | 5.40                | 0.00                | 0.00                | 0.00                | 0.00                |
| 175  | 527       | GIGL; IOCL; GAIL;CGD-SPL-UFTZ1             | Z1           | GIGL     | IOCL      | GAIL     |          |          |          | 54.00          | 10.80                                  | 5.40                | 37.80               | 0.00                | 0.00                | 0.00                |
| 176  | 528       | GAIL;GIGL-BGPL;CGD-SPL-UFTZ1               | Z1           | GAIL     | GIGL-BGPL |          |          |          |          | 54.00          | 40.50                                  | 13.50               | 0.00                | 0.00                | 0.00                | 0.00                |
| 177  | 529       | KG Basin;PIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1 | Z1           | KG Basin | PIL       | GSPL HP  | GSPL LP  |          |          | 54.00          | 5.40                                   | 43.20               | 2.70                | 2.70                | 0.00                | 0.00                |
| 178  | 530       | PIL;GAIL;IOCL;CGD-SPL-UFTZ1                | Z1           | PIL      | GAIL      | IOCL     |          |          |          | 54.00          | 40.50                                  | 8.10                | 5.40                | 0.00                | 0.00                | 0.00                |
| 179  | 531       | RGPL;GAIL;GSPL HP;CGD-SPL-UFTZ1            | Z1           | RGPL     | GAIL      | GSPL HP  |          |          |          | 54.00          | 40.50                                  | 10.80               | 2.70                | 0.00                | 0.00                | 0.00                |
| 180  | 532       | KG Basin;PIL;GSPL HP;CGD-SPL-UFTZ1         | Z1           | KG Basin | PIL       | GSPL HP  |          |          |          | 54.00          | 10.80                                  | 40.50               | 2.70                | 0.00                | 0.00                | 0.00                |

| in Rs. Per MMBTU |           |                                                   |              |          |          |           |           |           |          |                |                                        |                     |                     |                     |                     |                     |
|------------------|-----------|---------------------------------------------------|--------------|----------|----------|-----------|-----------|-----------|----------|----------------|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| S.N.             | Path Code | Tariff Path                                       | Unified Zone | Entity   |          |           |           |           |          | Unified Tariff | Tariff invoiced by individual entities |                     |                     |                     |                     |                     |
|                  |           |                                                   |              | Entity 1 | Entity 2 | Entity 3  | Entity 4  | Entity 5  | Entity 6 |                | Tariff for Entity 1                    | Tariff for Entity 2 | Tariff for Entity 3 | Tariff for Entity 4 | Tariff for Entity 5 | Tariff for Entity 6 |
| 181              | 533       | RGPL;GAIL;PIL;CGD-SPL-UFTZ1                       | Z1           | RGPL     | GAIL     | PIL       |           |           |          | 54.00          | 37.80                                  | 10.80               | 5.40                | 0.00                | 0.00                | 0.00                |
| 182              | 534       | RGPL;GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1           | Z1           | RGPL     | GAIL     | GSPL HP   | GSPL LP   |           |          | 54.00          | 32.40                                  | 16.20               | 2.70                | 2.70                | 0.00                | 0.00                |
| 183              | 535       | RGPL;GAIL;PIL;KG Basin;CGD-SPL-UFTZ1              | Z1           | RGPL     | GAIL     | PIL       | KG Basin  |           |          | 54.00          | 37.80                                  | 5.40                | 5.40                | 5.40                | 0.00                | 0.00                |
| 184              | 536       | RGPL;GAIL;PIL;GITL;CGD-SPL-UFTZ1                  | Z1           | RGPL     | GAIL     | PIL       | GITL      |           |          | 54.00          | 32.40                                  | 5.40                | 10.80               | 5.40                | 0.00                | 0.00                |
| 185              | 537       | RGPL;GAIL;GSPL HP;GIGL;CGD-SPL-UFTZ1              | Z1           | RGPL     | GAIL     | GSPL HP   | GIGL      |           |          | 54.00          | 37.80                                  | 8.10                | 2.70                | 5.40                | 0.00                | 0.00                |
| 186              | 538       | RGPL;GAIL;PIL;GSPL HP;CGD-SPL-UFTZ1               | Z1           | RGPL     | GAIL     | PIL       | GSPL HP   |           |          | 54.00          | 35.10                                  | 8.10                | 8.10                | 2.70                | 0.00                | 0.00                |
| 187              | 539       | RGPL;GAIL;PIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1       | Z1           | RGPL     | GAIL     | PIL       | GSPL HP   | GSPL LP   |          | 54.00          | 37.80                                  | 5.40                | 5.40                | 2.70                | 2.70                | 0.00                |
| 188              | 540       | RGPL;GAIL;PIL;GSPL HP;GIGL;CGD-SPL-UFTZ1          | Z1           | RGPL     | GAIL     | PIL       | GSPL HP   | GIGL      |          | 54.00          | 32.40                                  | 5.40                | 10.80               | 2.70                | 2.70                | 0.00                |
| 189              | 541       | KG Basin;PIL;GAIL;IOCL;CGD-SPL-UFTZ1              | Z1           | KG Basin | PIL      | GAIL      | IOCL      |           |          | 54.00          | 16.20                                  | 21.60               | 10.80               | 5.40                | 0.00                | 0.00                |
| 190              | 542       | KG Basin;PIL;GSPL HP;GIGL;CGD-SPL-UFTZ1           | Z1           | KG Basin | PIL      | GSPL HP   | GIGL      |           |          | 54.00          | 27.00                                  | 18.90               | 2.70                | 5.40                | 0.00                | 0.00                |
| 191              | 543       | PIL;GAIL;GIGL-BGPL;CGD-SPL-UFTZ1                  | Z1           | PIL      | GAIL     | GIGL-BGPL |           |           |          | 54.00          | 37.80                                  | 10.80               | 5.40                | 0.00                | 0.00                | 0.00                |
| 192              | 544       | KG Basin;PIL;GAIL;GSPL HP;CGD-SPL-UFTZ1           | Z1           | KG Basin | PIL      | GAIL      | GSPL HP   |           |          | 54.00          | 18.90                                  | 21.60               | 10.80               | 2.70                | 0.00                | 0.00                |
| 193              | 545       | GSPL HP;PIL;GITL;CGD-SPL-UFTZ1                    | Z1           | GSPL HP  | PIL      | GITL      |           |           |          | 54.00          | 2.70                                   | 45.90               | 5.40                | 0.00                | 0.00                | 0.00                |
| 194              | 546       | GSPL HP;GAIL;PIL;GITL;CGD-SPL-UFTZ1               | Z1           | GSPL HP  | GAIL     | PIL       | GITL      |           |          | 54.00          | 2.70                                   | 8.10                | 37.80               | 5.40                | 0.00                | 0.00                |
| 195              | 547       | KG Basin;PIL;GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1   | Z1           | KG Basin | PIL      | GAIL      | GSPL HP   | GSPL LP   |          | 54.00          | 8.10                                   | 27.00               | 13.50               | 2.70                | 2.70                | 0.00                |
| 196              | 548       | PIL;GAIL;GSPL HP;GSPL LP;CGD-SPL-UFTZ1            | Z1           | PIL      | GAIL     | GSPL HP   | GSPL LP   |           |          | 54.00          | 43.20                                  | 5.40                | 2.70                | 2.70                | 0.00                | 0.00                |
| 197              | 549       | KG Basin;PIL;GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1      | Z1           | KG Basin | PIL      | GSPL HP   | GIGL      | IOCL      |          | 54.00          | 8.10                                   | 32.40               | 2.70                | 5.40                | 5.40                | 0.00                |
| 198              | 550       | PIL;GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1               | Z1           | PIL      | GSPL HP  | GIGL      | IOCL      |           |          | 54.00          | 40.50                                  | 2.70                | 5.40                | 5.40                | 0.00                | 0.00                |
| 199              | 551       | GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1                   | Z1           | GSPL HP  | GIGL     | IOCL      |           |           |          | 54.00          | 2.70                                   | 27.00               | 24.30               | 0.00                | 0.00                | 0.00                |
| 200              | 552       | GAIL;GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1              | Z1           | GAIL     | GSPL HP  | GIGL      | IOCL      |           |          | 54.00          | 37.80                                  | 2.70                | 8.10                | 5.40                | 0.00                | 0.00                |
| 201              | 553       | PIL;GAIL;GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1          | Z1           | PIL      | GAIL     | GSPL HP   | GIGL      | IOCL      |          | 54.00          | 27.00                                  | 13.50               | 2.70                | 5.40                | 5.40                | 0.00                |
| 202              | 554       | GSPL LP;GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1           | Z1           | GSPL LP  | GSPL HP  | GIGL      | IOCL      |           |          | 54.00          | 2.70                                   | 2.70                | 32.40               | 16.20               | 0.00                | 0.00                |
| 203              | 555       | KG Basin;PIL;GAIL;GSPL HP;GIGL;IOCL;CGD-SPL-UFTZ1 | Z1           | KG Basin | PIL      | GAIL      | GSPL HP   | GIGL      | IOCL     | 54.00          | 8.10                                   | 21.60               | 10.80               | 2.70                | 5.40                | 5.40                |
| 204              | 556       | RGPL;GAIL;GIGL-BGPL;CGD-SPL-UFTZ1                 | Z1           | RGPL     | GAIL     | GIGL-BGPL |           |           |          | 54.00          | 37.80                                  | 10.80               | 5.40                | 0.00                | 0.00                | 0.00                |
| 205              | 557       | KG Basin;PIL;GAIL;GIGL-BGPL;CGD-SPL-UFTZ1         | Z1           | KG Basin | PIL      | GAIL      | GIGL-BGPL |           |          | 54.00          | 5.40                                   | 37.80               | 5.40                | 5.40                | 0.00                | 0.00                |
| 206              | 558       | IGGL;CGD-SPL-UFTZ1                                | Z1           | IGGL     |          |           |           |           |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 207              | 559       | IGGL;GAIL;PIL;GSPL HP;GIGL;CGD-SPL;UFTZ1          | Z1           | IGGL     | GAIL     | PIL       | GSPL HP   | GIGL      |          | 54.00          | 32.40                                  | 5.40                | 5.40                | 5.40                | 5.40                | 0.00                |
| 208              | 560       | IGGL;GAIL;GIGL-BGPL;CGD;SPL;UFTZ1                 | Z1           | IGGL     | GAIL     | GIGL-BGPL |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 209              | 561       | RGPL;GAIL;IGGL;CGD;SPL;UFTZ1                      | Z1           | RGPL     | GAIL     | IGGL      |           |           |          | 54.00          | 27.00                                  | 5.40                | 21.60               | 0.00                | 0.00                | 0.00                |
| 210              | 562       | IGGL;GAIL;GSPL HP;PIL;GITL;CGD;SPL;UFTZ1          | Z1           | IGGL     | GAIL     | GSPL HP   | PIL       | GITL      |          | 54.00          | 27.00                                  | 5.40                | 2.70                | 13.50               | 5.40                | 0.00                |
| 211              | 563       | GSPL LP;GSPL HP;PIL;GITL;CGD;SPL;UFTZ1            | Z1           | GSPL LP  | GSPL HP  | PIL       | GITL      |           |          | 54.00          | 2.70                                   | 2.70                | 43.20               | 5.40                | 0.00                | 0.00                |
| 212              | 564       | KG Basin;PIL;GSPL HP;GAIL;GIGL-BGPL;CGD;SPL;UFTZ1 | Z1           | KG Basin | PIL      | GSPL HP   | GAIL      | GIGL-BGPL |          | 54.00          | 8.10                                   | 32.40               | 2.70                | 5.40                | 5.40                | 0.00                |
| 213              | 565       | IGGL;GAIL;PIL;CGD;SPL;UFTZ1                       | Z1           | IGGL     | GAIL     | PIL       |           |           |          | 54.00          | 27.00                                  | 5.40                | 21.60               | 0.00                | 0.00                | 0.00                |
| 214              | 566       | IGGL;GAIL;PIL;KG Basin;CGD;SPL;UFTZ1              | Z1           | IGGL     | GAIL     | PIL       | KG Basin  |           |          | 54.00          | 27.00                                  | 5.40                | 16.20               | 5.40                | 0.00                | 0.00                |
| 215              | 567       | IGGL;GAIL;IOCL;CGD;SPL;UFTZ1                      | Z1           | IGGL     | GAIL     | IOCL      |           |           |          | 54.00          | 37.80                                  | 10.80               | 5.40                | 0.00                | 0.00                | 0.00                |
| 216              | 568       | IGGL;GAIL;PIL;GITL;CGD;SPL;UFTZ1                  | Z1           | IGGL     | GAIL     | PIL       | GITL      |           |          | 54.00          | 32.40                                  | 5.40                | 10.80               | 5.40                | 0.00                | 0.00                |
| 217              | 569       | IGGL;GAIL;GSPL HP;PIL;KG Basin;CGD;SPL;UFTZ1      | Z1           | IGGL     | GAIL     | GSPL HP   | PIL       | KG Basin  |          | 54.00          | 27.00                                  | 5.40                | 2.70                | 13.50               | 5.40                | 0.00                |
| 218              | 570       | IGGL;GAIL;ONGC;CGD;SPL;UFTZ1                      | Z1           | IGGL     | GAIL     | ONGC      |           |           |          | 54.00          | 37.80                                  | 10.80               | 5.40                | 0.00                | 0.00                | 0.00                |
| 219              | 571       | IGGL;GAIL;GSPL HP;GGL;CGD;SPL;UFTZ1               | Z1           | IGGL     | GAIL     | GSPL HP   | GGL       |           |          | 54.00          | 37.80                                  | 10.80               | 2.70                | 2.70                | 0.00                | 0.00                |
| 220              | 572       | IGGL;GAIL;IOCL;GIGL;CGD;SPL;UFTZ1                 | Z1           | IGGL     | GAIL     | IOCL      | GIGL      |           |          | 54.00          | 32.40                                  | 10.80               | 5.40                | 5.40                | 0.00                | 0.00                |
| 221              | 573       | IGGL;GAIL;GSPL HP;CGD;SPL;UFTZ1                   | Z1           | IGGL     | GAIL     | GSPL HP   |           |           |          | 54.00          | 32.40                                  | 18.90               | 2.70                | 0.00                | 0.00                | 0.00                |
| 222              | 574       | IGGL;GAIL;GSPL HP;GSPL LP;CGD;SPL;UFTZ1           | Z1           | IGGL     | GAIL     | GSPL HP   | GSPL LP   |           |          | 54.00          | 27.00                                  | 16.20               | 5.40                | 5.40                | 0.00                | 0.00                |
| 223              | 575       | IGGL;GAIL;PIL;GSPL HP;GSPL LP;CGD;SPL;UFTZ1       | Z1           | IGGL     | GAIL     | PIL       | GSPL HP   | GSPL LP   |          | 54.00          | 27.00                                  | 10.80               | 10.80               | 2.70                | 2.70                | 0.00                |
| 224              | 576       | IGGL;GAIL;GSPL HP;GIGL;CGD;SPL;UFTZ1              | Z1           | IGGL     | GAIL     | GSPL HP   | GIGL      |           |          | 54.00          | 27.00                                  | 18.90               | 2.70                | 5.40                | 0.00                | 0.00                |
| 225              | 577       | IGGL;GAIL;GSPL HP;GIGL;IOCL;CGD;SPL;UFTZ1         | Z1           | IGGL     | GAIL     | GSPL HP   | GIGL      | IOCL      |          | 54.00          | 27.00                                  | 13.50               | 2.70                | 5.40                | 5.40                | 0.00                |

| in Rs. Per MMBTU |           |                                                |              |          |          |          |           |           |          |                |                                        |                     |                     |                     |                     |                     |
|------------------|-----------|------------------------------------------------|--------------|----------|----------|----------|-----------|-----------|----------|----------------|----------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| S.N.             | Path Code | Tariff Path                                    | Unified Zone | Entity   |          |          |           |           |          | Unified Tariff | Tariff invoiced by individual entities |                     |                     |                     |                     |                     |
|                  |           |                                                |              | Entity 1 | Entity 2 | Entity 3 | Entity 4  | Entity 5  | Entity 6 |                | Tariff for Entity 1                    | Tariff for Entity 2 | Tariff for Entity 3 | Tariff for Entity 4 | Tariff for Entity 5 | Tariff for Entity 6 |
| 226              | 578       | IGGL;GAIL;PIL;GSPL HP;CGD;SPL;UFTZ1            | Z1           | IGGL     | GAIL     | PIL      | GSPL HP   |           |          | 54.00          | 27.00                                  | 13.50               | 10.80               | 2.70                | 0.00                | 0.00                |
| 227              | 579       | IGGL;GAIL;PIL;GSPL HP;GIGL;CGD;SPL;UFTZ1       | Z1           | IGGL     | GAIL     | PIL      | GSPL HP   | GIGL      |          | 54.00          | 24.30                                  | 10.80               | 10.80               | 2.70                | 5.40                | 0.00                |
| 228              | 580       | MNJPL;CGD;SPL;UFTZ1                            | Z1           | MNJPL    |          |          |           |           |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 229              | 581       | GAIL;MNJPL;CGD;SPL;UFTZ1                       | Z1           | GAIL     | MNJPL    |          |           |           |          | 54.00          | 27.00                                  | 27.00               | 0.00                | 0.00                | 0.00                | 0.00                |
| 230              | 582       | RGPL;GAIL;MNJPL;CGD;SPL;UFTZ1                  | Z1           | RGPL     | GAIL     | MNJPL    |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 231              | 583       | IGGL;GAIL;MNJPL;CGD;SPL;UFTZ1                  | Z1           | IGGL     | GAIL     | MNJPL    |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 232              | 584       | PIL;GAIL;MNJPL;CGD;SPL;UFTZ1                   | Z1           | PIL      | GAIL     | MNJPL    |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 233              | 585       | GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1               | Z1           | GSPL HP  | GAIL     | MNJPL    |           |           |          | 54.00          | 2.70                                   | 27.00               | 24.30               | 0.00                | 0.00                | 0.00                |
| 234              | 586       | GSPL LP;GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1       | Z1           | GSPL LP  | GSPL HP  | GAIL     | MNJPL     |           |          | 54.00          | 2.70                                   | 2.70                | 24.30               | 24.30               | 0.00                | 0.00                |
| 235              | 587       | KG Basin;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1          | Z1           | KG Basin | PIL      | GAIL     | MNJPL     |           |          | 54.00          | 5.40                                   | 37.80               | 5.40                | 5.40                | 0.00                | 0.00                |
| 236              | 588       | GIGL;GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1          | Z1           | GIGL     | GSPL HP  | GAIL     | MNJPL     |           |          | 54.00          | 5.40                                   | 2.70                | 24.30               | 21.60               | 0.00                | 0.00                |
| 237              | 589       | KG Basin;PIL;GSPL HP;GAIL;MNJPL;CGD;SPL;UFTZ1  | Z1           | KG Basin | PIL      | GSPL HP  | GAIL      | MNJPL     |          | 54.00          | 8.10                                   | 32.40               | 2.70                | 5.40                | 5.40                | 0.00                |
| 238              | 590       | ONGC;GAIL;MNJPL;CGD;SPL;UFTZ1                  | Z1           | ONGC     | GAIL     | MNJPL    |           |           |          | 54.00          | 27.00                                  | 13.50               | 13.50               | 0.00                | 0.00                | 0.00                |
| 239              | 591       | GSPL LP;GSPL HP;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1   | Z1           | GSPL LP  | GSPL HP  | PIL      | GAIL      | MNJPL     |          | 54.00          | 2.70                                   | 2.70                | 37.80               | 5.40                | 5.40                | 0.00                |
| 240              | 592       | GSPL HP;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1           | Z1           | GSPL HP  | PIL      | GAIL     | MNJPL     |           |          | 54.00          | 2.70                                   | 40.50               | 5.40                | 5.40                | 0.00                | 0.00                |
| 241              | 593       | GIGL;GSPL HP;PIL;GAIL;MNJPL;CGD;SPL;UFTZ1      | Z1           | GIGL     | GSPL HP  | PIL      | GAIL      | MNJPL     |          | 54.00          | 5.40                                   | 2.70                | 35.10               | 5.40                | 5.40                | 0.00                |
| 242              | 594       | PIL;MNJPL;CGD;SPL;UFTZ1                        | Z1           | PIL      | MNJPL    |          |           |           |          | 54.00          | 48.60                                  | 5.40                | 0.00                | 0.00                | 0.00                | 0.00                |
| 243              | 595       | KG Basin;PIL;MNJPL;CGD;SPL;UFTZ1               | Z1           | KG Basin | PIL      | MNJPL    |           |           |          | 54.00          | 5.40                                   | 43.20               | 5.40                | 0.00                | 0.00                | 0.00                |
| 244              | 596       | RGPL;GAIL;PIL;MNJPL;CGD;SPL;UFTZ1              | Z1           | RGPL     | GAIL     | PIL      | MNJPL     |           |          | 54.00          | 37.80                                  | 5.40                | 5.40                | 5.40                | 0.00                | 0.00                |
| 245              | 597       | RGPL;GAIL;GSPLHP;PIL;MNJPL;CGD;SPL;UFTZ1       | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       | MNJPL     |          | 54.00          | 35.10                                  | 5.40                | 2.70                | 5.40                | 5.40                | 0.00                |
| 246              | 598       | SAPL;CGD;SPL;UFTZ1                             | Z1           | SAPL     |          |          |           |           |          | 54.00          | 54.00                                  | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                |
| 247              | 599       | GAIL;SAPL;CGD;SPL;UFTZ1                        | Z1           | GAIL     | SAPL     |          |           |           |          | 54.00          | 27.00                                  | 27.00               | 0.00                | 0.00                | 0.00                | 0.00                |
| 248              | 600       | RGPL;GAIL;SAPL;CGD;SPL;UFTZ1                   | Z1           | RGPL     | GAIL     | SAPL     |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 249              | 601       | IGGL;GAIL;SAPL;CGD;SPL;UFTZ1                   | Z1           | IGGL     | GAIL     | SAPL     |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 250              | 602       | PIL;GAIL;SAPL;CGD;SPL;UFTZ1                    | Z1           | PIL      | GAIL     | SAPL     |           |           |          | 54.00          | 43.20                                  | 5.40                | 5.40                | 0.00                | 0.00                | 0.00                |
| 251              | 603       | GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1                | Z1           | GSPL HP  | GAIL     | SAPL     |           |           |          | 54.00          | 2.70                                   | 27.00               | 24.30               | 0.00                | 0.00                | 0.00                |
| 252              | 604       | GSPL LP;GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1        | Z1           | GSPL LP  | GSPL HP  | GAIL     | SAPL      |           |          | 54.00          | 2.70                                   | 2.70                | 24.30               | 24.30               | 0.00                | 0.00                |
| 253              | 605       | KG Basin;PIL;GAIL;SAPL;CGD;SPL;UFTZ1           | Z1           | KG Basin | PIL      | GAIL     | SAPL      |           |          | 54.00          | 8.10                                   | 35.10               | 5.40                | 5.40                | 0.00                | 0.00                |
| 254              | 606       | GIGL;GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1           | Z1           | GIGL     | GSPL HP  | GAIL     | SAPL      |           |          | 54.00          | 5.40                                   | 2.70                | 40.50               | 5.40                | 0.00                | 0.00                |
| 255              | 607       | KG Basin;PIL;GSPL HP;GAIL;SAPL;CGD;SPL;UFTZ1   | Z1           | KG Basin | PIL      | GSPL HP  | GAIL      | SAPL      |          | 54.00          | 8.10                                   | 32.40               | 2.70                | 5.40                | 5.40                | 0.00                |
| 256              | 608       | ONGC;GAIL;SAPL;CGD;SPL;UFTZ1                   | Z1           | ONGC     | GAIL     | SAPL     |           |           |          | 54.00          | 13.50                                  | 27.00               | 13.50               | 0.00                | 0.00                | 0.00                |
| 257              | 609       | GSPL LP;GSPL HP;PIL;GAIL;SAPL;CGD;SPL;UFTZ1    | Z1           | GSPL LP  | GSPL HP  | PIL      | GAIL      | SAPL      |          | 54.00          | 2.70                                   | 2.70                | 37.80               | 5.40                | 5.40                | 0.00                |
| 258              | 610       | GSPL HP;PIL;GAIL;SAPL;CGD;SPL;UFTZ1            | Z1           | GSPL HP  | PIL      | GAIL     | SAPL      |           |          | 54.00          | 2.70                                   | 40.50               | 5.40                | 5.40                | 0.00                | 0.00                |
| 259              | 611       | GIGL;GSPL HP;PIL;GAIL;SAPL;CGD;SPL;UFTZ1       | Z1           | GIGL     | GSPL HP  | PIL      | GAIL      | SAPL      |          | 54.00          | 5.40                                   | 2.70                | 35.10               | 5.40                | 5.40                | 0.00                |
| 260              | 612       | RGPL;GAIL;GSPL HP;GIGL-BGPL;CGD-SPL;UFT;Z1     | Z1           | RGPL     | GAIL     | GSPL HP  | GIGL-BGPL |           |          | 54.00          | 40.50                                  | 5.40                | 2.70                | 5.40                | 0.00                | 0.00                |
| 261              | 613       | RGPL;GAIL;PIL;GSPL HP;GIGL;BGPL;CGD-SPL;UFT;Z1 | Z1           | RGPL     | GAIL     | PIL      | GSPL HP   | GIGL-BGPL |          | 54.00          | 35.10                                  | 5.40                | 5.40                | 2.70                | 5.40                | 0.00                |
| 262              | 614       | RGPL;GAIL;GSPL HP;PIL;CGD-SPL;UFT;Z1           | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       |           |          | 54.00          | 35.10                                  | 5.40                | 2.70                | 10.80               | 0.00                | 0.00                |
| 263              | 615       | RGPL;GAIL;GSPL HP;PIL;KG Basin;CGD-SPL; UFT;Z1 | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       | KG Basin  |          | 54.00          | 35.10                                  | 5.40                | 2.70                | 5.40                | 5.40                | 0.00                |
| 264              | 616       | RGPL;GAIL;GSPL HP;PIL;GITL;CGD-SPL; UFT;Z1     | Z1           | RGPL     | GAIL     | GSPL HP  | PIL       | GITL      |          | 54.00          | 35.10                                  | 5.40                | 2.70                | 5.40                | 5.40                | 0.00                |
| 265              | 617       | PIL;GSPL HP;GIGL;CGD-SPL; UFT;Z1               | Z1           | PIL      | GSPL HP  | GIGL     |           |           |          | 54.00          | 45.90                                  | 2.70                | 5.40                | 0.00                | 0.00                | 0.00                |

## 7. Decision:

- 7.1. The Unified tariff shall be Rs.83.94/MMBTU (including GST) on GCV basis having Unified Zonal Tariff w.e.f. 01.01.2026 to 31.03.2026 or till further order, whichever is later, as follows:

| Unified Tariff | Tariff (Rs./MMBTU) |
|----------------|--------------------|
| Levelized      | 83.94              |
| Zone 1         | 54.00              |
| Zone 2         | 102.86             |

- 7.2. In line with the PNGRB NGPL Tariff 2nd Amendment Regulation notified dt. 07.07.2025, the Zone-1 tariff shall be applicable to CNG and PNG-D across the country.
- 7.3. The unified tariff paths, unified tariff for tariff zones, ratios and tariff for invoicing by the pipeline entities as per para 6 above w.e.f. 01.01.2026 to 31.03.2026 or till further orders, whichever is later.
- 7.4. The benefit of the lower Zone 1 unified tariff was extended nationwide for the CNG and PNG-D segments to ensures millions of households and public transport users across the country benefit from a more affordable tariff, regardless of their distance from the source of gas. In view of the same, the CGD entity shall pass on the benefit of lower Zone 1 Unified Tariff to consumers. Further, the CGD entities shall also submit suitable undertaking in this regard to Settlement Committee, with a copy to PNGRB.

|                       |                       |                            |                       |
|-----------------------|-----------------------|----------------------------|-----------------------|
| Sd./                  | Sd./                  | Sd./                       | Sd./                  |
| (Dr. Anil Kumar Jain) | (Anjani Kumar Tiwari) | (A. Ramana Kumar)          | (Jayanta Narayan Das) |
| Chairperson           | Member-Commercial     | Member-Monitoring & Infra. | Member-Technical      |